



ITS ELONGATED PROFILE AVOIDS THAT THE GROUND STICKS TO THE BUCKET'S SIDE WALLS AND SIMPLIFIES THE DISCHARGE OF LOAMY AND WET MATERIALS. ITS HOLLOW SIDE WALLS HELP THE CROSSING OF GAS AND HYDRAULIC PIPES OR PLANTS, ETC. THE BLADE IS MADE OF HB400 FOR A HIGHER RESISTANCE TO WEAR.

MOD.	MIDI								EXCAVATOR			
	BS 35GD	BS 40GD	BS 48GD	BS 60GD	BS 67GD	BS 71GD	BS 75GD	BS 80GD	BS 85GD	BS 92GD	BS 100GD	BS 110GD
TONS (LB)	0,8 - 1,5 (1764 - 3307)	1,5 - 2,0 (3307 - 4409)	2,0 - 3,0 (4409 - 6614)	3,0 - 4,0 (6614 - 8818)	4,0 - 6,0 (8818 - 13228)	6,0 - 7,5 (13228 - 16535)	7,5 - 9,0 (16535 - 19842)	9,0 - 12,0 (19842 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)

SCANDINAVIA
PROFILE



AF



AR




CS



CR



CS JANUS PRO



S




CM



CW

ADAPTERS



STANDARD TECHNICAL FEATURES

1 **ELONGATED PROFILE**

2 **REINFORCING STRIPS**

THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.

3 **HB400 CUTTING EDGE**

4 **DC TEETH DTE TEETH**

OPTIONAL

5 **HB500 WELDED ADDITIONAL CUTTING EDGE**

RECOMMENDED TO WORK ON PARTICULARLY ABRASIVE SOILS.

BS35 GD

MACHINE WEIGHT 0,8 - 1,5 (1764 - 3307 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)

CM20

KG 10 (LB 22)

S30-150

KG 6 (LB 13)

S30-180


KG 8 (LB 17)

CW00

KG 5 (LB 11)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	20 (44)	24 (6,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	22 (48)	29 (7,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	25 (55)	35 (9,2)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	28 (62)	41 (10,1)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

BS40 GD

MACHINE WEIGHT 1,5 - 2,0 (3307 - 4409 lb)

ADAPTERS

AR15

KG 7 (LB 15)

AR30

KG 10 (LB 22)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)

CR30

KG 10 (LB 28)

CM20

KG 10 (LB 22)

CM30

KG 12 (LB 26)

S30-150


KG 6 (LB 13)

S30-180

KG 8 (LB 17)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	23 (51)	24 (6,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	25 (55)	30 (7,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	27 (59)	37 (9,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	30 (66)	44 (11,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

BS48 GD

MACHINE WEIGHT 2,0 - 3,0 (4409 - 6614 lb)

ADAPTERS

AR30

KG 10 (LB 22)

AR40

KG 11 (LB 24)

CS10

KG 10 (LB 22)

CS30

KG 18 (LB 39)

CS10 JANUS PRO

KG 10 (LB 22)

CS30 JANUS PRO

KG 19 (LB 41)

CR30

KG 13 (LB 28)

CR40

KG 14 (LB 30)

CM30

KG 12 (LB 26)

S30-150


KG 6 (LB 13)

S30-180

KG 8 (LB 17)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	33 (73)	36 (9,5)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	38 (84)	45 (,)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	42 (92)	54 (11,8)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	48 (106)	63 (16,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	58 (128)	83 (21,9)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

BS60 GD

MACHINE WEIGHT 3,0 - 4,0 (6614 - 8818 lb)

ADAPTERS

AR40

KG 11 (LB 24)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR40

KG 14 (LB 30)

CM30


KG 12 (LB 26)

S40-200

KG 15 (LB 33)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	40 (88)	54 (14,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	45 (99)	66 (17,4)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	51 (112)	79 (20,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	57 (126)	93 (24,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	68 (150)	121 (31,9)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE


* weight of the tank excluding attachment

* weight of the tank excluding attachment

BS67 GD

MACHINE WEIGHT 4,0 - 6,0 (8818 - 13228 lb)

ADAPTERS	AR50	CS30	CS30 JANUS PRO	CS80	CR50	CM100	S40-200	CW10
	KG 17 (LB 37)	KG 18 (LB 39)	KG 19 (LB 41)	KG 44 (LB 97)	KG 22 (LB 48)	KG 35 (LB 77)	KG 15 (LB 33)	KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	60 (132)	78 (20,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	69 (152)	95 (25,1)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	78 (172)	111 (29,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	95 (209)	146 (38,5)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO


OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

BS71 GD

MACHINE WEIGHT 6,0 - 7,5 (13228 - 16535 lb)

ADAPTERS	AR70	CS80	CS80 JANUS PRO	CR70	CM100	S45	S50	CW10
								
	KG 44 (LB 97)	KG 46 (LB 101)	KG 34 (LB 75)	KG 35 (LB 77)	KG 28 (LB 61)	KG 29 (LB 63)	KG 29 (LB 63)	KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
350 (14)	92 (203)	117 (30,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	102 (225)	138 (36,5)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	120 (264)	181 (47,8)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	140 (309)	226 (59,7)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO


OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

BS75 GD

MACHINE WEIGHT 7,5 - 9,0 (16535 - 1982 lb)

ADAPTERS	CS80	CS80 JANUS PRO	CR70	CM100	S45	S50	CW10
	KG 24 (LB 52)	KG 44 (LB 97)	KG 46 (LB 101)	KG 34 (LB 75)	KG 35 (LB 77)	KG 28 (LB 51)	KG 29 (LB 63)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
350 (14)	88 (194)	112 (29,6)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	96 (212)	132 (34,9)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	116 (255)	172 (45,4)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	133 (293)	215 (56,7)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO


OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

BS80 GD

MACHINE WEIGHT 9,0 - 12,0 (1982 - 26455 lb)

ADAPTERS	CS80	CS80 JANUS PRO	CR70	CM100	CM180	S45	S50	CW10
	KG 44 (LB 97)	KG 46 (LB 101)	KG 34 (LB 75)	KG 35 (LB 77)	KG 66 (LB 145)	KG 28 (LB 61)	KG 29 (LB 63)	KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	115 (253)	161 (42,5)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	140 (309)	210 (55,4)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	165 (364)	261 (68,9)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment

BS85 GD **MIDI**

MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS


CS100
KG 45 (LB 99)

CS100 JANUS PRO
KG 93 (LB 205)

CM180
KG 66 (LB 145)

S60
KG 57 (LB 125)

CW20
KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	145 (320)	184 (48,6)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
500 (20)	170 (375)	242 (63,9)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
600 (24)	195 (430)	301 (79,5)	4	AF - S - CM
				CS - CW
				CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

BS92 GD **EXCAVATOR**

MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS


CS100
KG 45 (LB 99)

CS100 JANUS PRO
KG 93 (LB 205)

CM180
KG 66 (LB 145)

S60
KG 57 (LB 125)

CW20
KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	162 (357)	206 (54,4)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
500 (20)	195 (430)	270 (71,3)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
600 (24)	223 (492)	337 (89,0)	4	AF - S - CM
				CS - CW
				CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

BS100 GD

MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS


CS100
KG 45 (LB 99)

CS100 JANUS PRO
KG 93 (LB 205)

CM180
KG 66 (LB 145)

S60
KG 57 (LB 125)

CW20
KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	230 (507)	245 (64,7)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
500 (20)	268 (591)	320 (84,5)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
600 (24)	306 (675)	398 (105,1)	3	AF - S - CM
				CS - CW
				CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

BS110 GD

MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS


CS100
KG 45 (LB 99)

CS100 JANUS PRO
KG 93 (LB 205)

CM180
KG 66 (LB 145)

S60
KG 57 (LB 125)

CW30
KG 66 (LB 145)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	300 (661)	283 (74,8)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
500 (20)	345 (761)	372 (98,3)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
600 (24)	390 (860)	464 (122,6)	3	AF - S - CM
				CS - CW
				CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment