




ITS ELONGATED PROFILE AVOIDS THAT THE GROUND STICKS TO THE BUCKET'S SIDE WALLS AND SIMPLIFIES THE DISCHARGE OF LOAMY AND WET MATERIALS. ITS HOLLOW SIDE WALLS HELP THE CROSSING OF GAS AND HYDRAULIC PIPES OR PLANTS, ETC. THE BLADE, THE SIDE CAST CUTTERS AND SIDE REINFORCEMENTS AND THE REAR STRIPS ARE MADE OF HB400.

MOD.	BS 35HD	BS 40HD	BS 48HD	BS 60HD	BS 67HD	BS 71HD	BS 75HD	BS 80HD	MIDI		EXCAVATOR	
									BS 85HD	BS 92HD	BS 100HD	BS 110HD
TONS (LB)	0,8 - 1,5 (1764 - 3307)	1,5 - 2,0 (3307 - 4409)	2,0 - 3,0 (4409 - 6614)	3,0 - 4,0 (6614 - 8818)	4,0 - 6,0 (8818 - 13228)	6,0 - 7,5 (13228 - 16535)	7,5 - 9,0 (16535 - 19842)	9,0 - 12,0 (19842 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)

SCANDINAVIA
PROFILE



STANDARD TECHNICAL FEATURES

- 1 ELONGATED PROFILE**
- 2 HB400 REINFORCING STRIPS**
THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.
- 3 HB400 CUTTING EDGE**
- 4 HB400 SIDE CAST CUTTERS AND SIDE REINFORCEMENTS**
THESE HB400 CAST CUTTERS ARE POSITIONED ON THE SURFACES MOSTLY SUBJECT TO WEAR GRANTING A HIGHER RESISTANCE.
- 5 DC TEETH DTE TEETH**

BS35 HD

MACHINE WEIGHT 0,8 - 1,5 (1764 - 3307 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)

CM20

KG 10 (LB 22)

S30-150

KG 6 (LB 13)

S30-180


KG 8 (LB 17)

CW00

KG 5 (LB 11)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	22 (49)	24 (6,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	24 (53)	29 (7,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	27 (60)	35 (9,2)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	31 (68)	41 (10,1)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

BS40 HD

MACHINE WEIGHT 1,5 - 2,0 (3307 - 4409 lb)

ADAPTERS

AR15

KG 7 (LB 15)

AR30

KG 10 (LB 22)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)

CR30

KG 10 (LB 28)

CM20

KG 10 (LB 22)

CM30

KG 12 (LB 26)

S30-150


KG 6 (LB 13)

S30-180

KG 8 (LB 17)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	25 (55)	24 (6,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	27 (60)	30 (7,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	30 (66)	37 (9,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	34 (75)	44 (11,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

BS48 HD

MACHINE WEIGHT 2,0 - 3,0 (4409 - 6614 lb)

ADAPTERS

AR30

KG 10 (LB 22)

AR40

KG 11 (LB 24)

CS10

KG 10 (LB 22)

CS30

KG 18 (LB 39)

CS10 JANUS PRO

KG 10 (LB 22)

CS30 JANUS PRO

KG 19 (LB 41)

CR30

KG 13 (LB 28)

CR40

KG 14 (LB 30)

CM30

KG 12 (LB 26)

S30-150


KG 6 (LB 13)

S30-180

KG 8 (LB 17)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	37 (81)	36 (9,5)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	42 (92)	45 (,)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	47 (103)	54 (11,8)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	53 (116)	63 (16,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	64 (141)	83 (21,9)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

BS60 HD

MACHINE WEIGHT 3,0 - 4,0 (6614 - 8818 lb)

ADAPTERS

AR40

KG 11 (LB 24)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR40

KG 14 (LB 30)

CM30


KG 12 (LB 26)

S40-200

KG 15 (LB 33)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	48 (105)	54 (14,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	53 (116)	66 (17,4)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	60 (132)	79 (20,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	66 (145)	93 (24,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	78 (172)	121 (31,9)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

* weight of the tank excluding attachment

* weight of the tank excluding attachment

BS67 HD

MACHINE WEIGHT 4,0 - 6,0 (8818 - 13228 lb)

ADAPTERS

AR50

KG 17 (LB 37)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CS80

KG 44 (LB 97)

CR50

KG 22 (LB 48)

CM100


KG 35 (LB 77)

S40-200

KG 15 (LB 33)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	70 (154)	78 (20,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
350 (14)	80 (176)	95 (25,1)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	90 (198)	111 (29,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	109 (240)	146 (38,5)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

BS71 HD

MACHINE WEIGHT 6,0 - 7,5 (13228 - 16535 lb)

ADAPTERS

AR70

KG 24 (LB 52)

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

CM100

KG 35 (LB 77)

S45


KG 28 (LB 51)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
350 (14)	101 (223)	112 (29,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	111 (245)	132 (34,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	133 (293)	172 (45,4)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	152 (335)	215 (56,7)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

BS75 HD

MACHINE WEIGHT 7,5 - 9,0 (16535 - 1982 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

CM100

KG 35 (LB 77)

S45


KG 28 (LB 61)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
350 (14)	106 (234)	117 (30,9)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	118 (260)	138 (36,5)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	138 (304)	181 (47,8)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	160 (353)	226 (59,7)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO

BS80 HD

MACHINE WEIGHT 9,0 - 12,0 (1982 - 26455 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

CM100

KG 35 (LB 77)

CM180

KG 66 (LB 145)

S45


KG 28 (LB 61)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	130 (286)	161 (42,5)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	157 (346)	210 (55,4)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	186 (410)	261 (68,9)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO

* weight of the tank excluding attachment

* weight of the tank excluding attachment

BS85 HD **MIDI**

MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180

KG 66 (LB 145)

S60

KG 57 (LB 125)

CW20

KG 57 (LB 126)

HB400 CUTTING EDGE

850 MM
(33 IN)

1060 MM
(42 IN)

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	164 (361)	184 (48,6)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
500 (20)	192 (423)	242 (63,9)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
600 (24)	220 (485)	301 (79,5)	4	AF - S - CM
				CS - CW
				CS JANUS PRO

BS92 HD **EXCAVATOR**

MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180

KG 66 (LB 145)

S60

KG 57 (LB 125)

CW20

KG 57 (LB 126)

HB400 CUTTING EDGE

920 MM
(36 IN)

1100 MM
(43 IN)

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	188 (414)	206 (54,4)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
500 (20)	225 (496)	270 (71,3)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
600 (24)	256 (564)	337 (89,0)	4	AF - S - CM
				CS - CW
				CS JANUS PRO

BS100 HD

MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180

KG 66 (LB 145)

S60

KG 57 (LB 125)

CW20

KG 57 (LB 126)

HB400 CUTTING EDGE

1000 MM
(39 IN)

1250 MM
(49 IN)

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	259 (571)	245 (64,7)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
500 (20)	301 (664)	320 (84,5)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
600 (24)	343 (756)	398 (105,1)	3	AF - S - CM
				CS - CW
				CS JANUS PRO

BS110 HD

MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180

KG 66 (LB 145)

S60

KG 57 (LB 125)

CW30

KG 66 (LB 145)

HB400 CUTTING EDGE

1100 MM
(43 IN)

1370 MM
(54 IN)

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	335 (739)	283 (74,8)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
500 (20)	385 (761)	372 (98,3)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
600 (24)	435 (860)	464 (122,6)	3	AF - S - CM
				CS - CW
				CS JANUS PRO

* weight of the tank excluding attachment

* weight of the tank excluding attachment