



AF



AR



CS



CR



CS JANUS PRO



CM




CW

ADAPTERS



ITS SHAPE HAS BEEN CONCEIVED TO HELP THE TOOL TO PENETRATE MEDIUM-CONSISTENCY SOILS.

MOD.	SC27	SC36	SC38	SC45	SC53	SC62	SC67	SC73	SC80	MIDI		EXCAVATOR	
										SC85	SC92 GD	SC100GD	SC110GD
TONS (LB)	0,6 - 1,2 (1323 - 2646)	1,2 - 1,8 (2646 - 3968)	1,2 - 1,8 (2646 - 3968)	1,8 - 2,5 (3968 - 5512)	2,5 - 4,0 (5512 - 8818)	4,0 - 5,0 (8818 - 11023)	5,0 - 7,5 (11023 - 16535)	7,5 - 10,0 (16535 - 22046)	10,0 - 12,0 (22046 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)



STANDARD TECHNICAL FEATURES


- 1 REINFORCING STRIPS**
THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.
- 2 DF TEETH DC TEETH DTE TEETH**

OPTIONAL

- 3 GRADING EDGE**
INSTALLED DIRECTLY ON THE ADAPTERS OF THE WELDED TEETH. THIS PATTERN MAKES THE INSTALLING/UNINSTALLING OPERATIONS EASIER AND GRANTS A HIGH RESISTANCE TO THE BUCKET.
- 4 HB500 WELDED ADDITIONAL CUTTING EDGE (NO TEETH)**
RECOMMENDED TO WORK ON PARTICULARLY ABRASIVE SOILS.

SC27 MACHINE WEIGHT 0,6 - 1,2 t (1323 - 2646 lb)

ADAPTERS	CM20 KG 10 (LB 22)	CW00 KG 5 (LB 11)	CW05 KG 9 (LB 19)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
200 (8)	11 (24)	10 (2,6)	2	AF
				S - CM
				CW
250 (10)	13 (29)	14 (3,7)	DF2 DC3 DE3	AF
				S - CM
				CW
300 (12)	15 (33)	18 (4,8)	3	AF
				S - CM
				CW
350 (14)	17 (37)	21 (5,5)	3	AF
				S - CM
				CW
400 (16)	18 (40)	25 (6,6)	3	AF
				S - CM
				CW
450 (18)	20 (44)	30 (7,9)	3	AF
				S - CM
				CW
500 (20)	22 (49)	34 (9,0)	4	AF
				S - CM
				CW
600 (24)	26 (57)	42 (11,1)	4	AF
				S - CM
				CW
700 (28)	30 (66)	50 (13,2)	5	AF
				S - CM
				CW

* weight of the tank excluding attachment

SC27 QUICK COUPLER MACHINE WEIGHT 0,6 - 1,2 t (1323 - 2646 lb)

ADAPTERS	AR15 KG 7 (LB 15)	CS10 KG 10 (LB 22)	CS10 JANUS PRO KG 10 (LB 22)	CR15 KG 10 (LB 22)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
200 (8)	11 (24)	10 (2,6)	2	AR - CS
				CR
				CS JANUS PRO
250 (10)	13 (29)	14 (3,7)	DF2 DC3 DE3	AR - CS
				CR
				CS JANUS PRO
300 (12)	15 (33)	18 (4,8)	3	AR - CS
				CR
				CS JANUS PRO
350 (14)	17 (37)	21 (5,5)	3	AR - CS
				CR
				CS JANUS PRO
400 (16)	18 (40)	25 (6,6)	3	AR - CS
				CR
				CS JANUS PRO
450 (18)	20 (44)	30 (7,9)	3	AR - CS
				CR
				CS JANUS PRO
500 (20)	22 (49)	34 (9,0)	4	AR - CS
				CR
				CS JANUS PRO
600 (24)	26 (57)	42 (11,1)	4	AR - CS
				CR
				CS JANUS PRO
700 (28)	30 (66)	50 (13,2)	5	AR - CS
				CR
				CS JANUS PRO

* weight of the tank excluding attachment

SC36 MACHINE WEIGHT 1,2 - 1,8 t (2646 - 3968 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10


KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
200 (8)	15 (33)	15 (4,0)	2	AR - CS
				CR
				CS JANUS PRO
250 (10)	17 (37)	20 (5,3)	DF2 DC3 DE3	AR - CS
				CR
				CS JANUS PRO
300 (12)	19 (42)	25 (6,6)	3	AR - CS
				CR
				CS JANUS PRO
350 (14)	21 (46)	31 (8,2)	3	AR - CS
				CR
				CS JANUS PRO
400 (16)	24 (53)	37 (9,8)	3	AR - CS
				CR
				CS JANUS PRO
450 (18)	27 (60)	43 (11,4)	3	AR - CS
				CR
				CS JANUS PRO
500 (20)	30 (66)	49 (12,4)	4	AR - CS
				CR
				CS JANUS PRO
600 (24)	34 (75)	61 (16,1)	4	AR - CS
				CR
				CS JANUS PRO
700 (28)	39 (86)	74 (19,5)	5	AR - CS
				CR
				CS JANUS PRO

OPTIONAL

3

SUPPLEMENTARY
BLADE

4

HB500 WELDED ADDITIONAL
CUTTING EDGE

SC38 MACHINE WEIGHT 1,2 - 1,8 t (2646 - 3968 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15


KG 10 (LB 22)

CM20

KG 10 (LB 22)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
200 (8)	15 (33)	15 (4,0)	2	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
250 (10)	17 (37)	20 (5,3)	DF2 DC3 DE3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
300 (12)	19 (42)	25 (6,6)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
350 (14)	21 (46)	31 (8,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
400 (16)	24 (53)	37 (9,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
450 (18)	27 (60)	43 (11,4)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
500 (20)	30 (66)	49 (12,4)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
600 (24)	34 (75)	61 (16,1)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
700 (28)	39 (86)	74 (19,5)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO

OPTIONAL

3

SUPPLEMENTARY
BLADE

4


HB500 WELDED ADDITIONAL
CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SC45 MACHINE WEIGHT 1,8 - 2,5 t (3968 - 5512 lb)

ADAPTERS	AR30	CS10	CS30	CS10 JANUS PRO	CS30 JANUS PRO	CR30	CM30	CW05
	KG 10 (LB 22)	KG 10 (LB 22)	KG 18 (LB 39)	KG 10 (LB 22)	KG 19 (LB 41)	KG 13 (LB 28)	KG 12 (LB 26)	KG 9 (LB 19)



OPTIONAL


3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	23 (51)	25 (6,6)	DF2 DC3 DE3	AF - AR - CS CR - CM CW - CS JANUS PRO
300 (12)	26 (57)	33 (8,7)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
350 (14)	29 (64)	40 (10,6)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
400 (16)	32 (71)	48 (12,7)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
450 (18)	35 (77)	56 (14,8)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
500 (20)	38 (84)	65 (17,2)	4	AF - AR - CS CR - CM CW - CS JANUS PRO
600 (24)	44 (97)	82 (21,7)	4	AF - AR - CS CR - CM CW - CS JANUS PRO
700 (28)	50 (110)	100 (26,4)	5	AF - AR - CS CR - CM CW - CS JANUS PRO
800 (31)	58 (128)	117 (30,9)	5	AF - AR - CS CR - CM CW - CS JANUS PRO

* weight of the tank excluding attachment

SC53 MACHINE WEIGHT 2,5 - 4,0 t (5512 - 8818 lb)

ADAPTERS	AR40	CS30	CS30 JANUS PRO	CR40	CM30	CW05
	KG 11 (LB 24)	KG 18 (LB 39)	KG 19 (LB 41)	KG 14 (LB 30)	KG 12 (LB 26)	KG 9 (LB 19)



OPTIONAL


3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	32 (71)	32 (8,5)	2	AF - AR - CS CR - CM CW - CS JANUS PRO
300 (12)	35 (77)	41 (10,8)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
350 (14)	40 (88)	51 (13,5)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
400 (16)	44 (97)	61 (16,1)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
450 (18)	48 (106)	72 (19,0)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
500 (20)	51 (112)	82 (21,7)	4	AF - AR - CS CR - CM CW - CS JANUS PRO
600 (24)	59 (130)	105 (27,7)	4	AF - AR - CS CR - CM CW - CS JANUS PRO
700 (28)	67 (148)	127 (33,5)	5	AF - AR - CS CR - CM CW - CS JANUS PRO
800 (31)	75 (165)	152 (40,2)	5	AF - AR - CS CR - CM CW - CS JANUS PRO
900 (35)	83 (183)	175 (46,2)	5	AF - AR - CS CR - CM CW - CS JANUS PRO

* weight of the tank excluding attachment

SC62 MACHINE WEIGHT 4,0 - 5,0 t (8818 - 11023 lb)

ADAPTERS	AR50	CS30	CS30 JANUS PRO	CR50	CM100	CW10
						
	KG 17 (LB 37)	KG 18 (LB 39)	KG 19 (LB 41)	KG 22 (LB 48)	KG 35 (LB 77)	KG 23 (LB 50)



OPTIONAL


3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	48 (106)	45 (11,9)	2	AF - AR - CS CR - CM CW - CS JANUS PRO
300 (12)	53 (117)	58 (15,3)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
350 (14)	58 (128)	71 (18,8)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
400 (16)	63 (139)	85 (22,5)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
450 (18)	68 (150)	100 (26,4)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
500 (20)	73 (161)	115 (30,4)	4	AF - AR - CS CR - CM CW - CS JANUS PRO
600 (24)	84 (185)	147 (38,8)	4	AF - AR - CS CR - CM CW - CS JANUS PRO
700 (28)	95 (209)	180 (47,6)	5	AF - AR - CS CR - CM CW - CS JANUS PRO
800 (31)	106 (234)	213 (56,3)	5	AF - AR - CS CR - CM CW - CS JANUS PRO
900 (35)	117 (258)	248 (65,5)	6	AF - AR - CS CR - CM CW - CS JANUS PRO
1000 (39)	128 (282)	282 (74,5)	6	AF - AR - CS CR - CM CW - CS JANUS PRO

* weight of the tank excluding attachment

SC67 MACHINE WEIGHT 5,0 - 7,5 t (11023 - 16535 lb)

ADAPTERS	AR50	AR70	CS80	CS80 JANUS PRO	CR50	CR70	CM100	CW10
								
	KG 17 (LB 37)	KG 24 (LB 52)	KG 44 (LB 97)	KG 46 (LB 101)	KG 22 (LB 48)	KG 34 (LB 75)	KG 35 (LB 77)	KG 23 (LB 50)



OPTIONAL

3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE


L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	70 (154)	68 (18,0)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
350 (14)	78 (172)	84 (22,2)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
400 (16)	85 (187)	101 (26,7)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
450 (18)	92 (203)	118 (31,2)	3	AF - AR - CS CR - CM CW - CS JANUS PRO
500 (20)	99 (218)	137 (36,2)	4	AF - AR - CS CR - CM CW - CS JANUS PRO
600 (24)	114 (251)	174 (46,0)	4	AF - AR - CS CR - CM CW - CS JANUS PRO
700 (28)	128 (282)	214 (56,5)	5	AF - AR - CS CR - CM CW - CS JANUS PRO
800 (31)	142 (313)	254 (67,1)	5	AF - AR - CS CR - CM CW - CS JANUS PRO
900 (35)	156 (344)	295 (77,9)	6	AF - AR - CS CR - CM CW - CS JANUS PRO
1000 (39)	170 (375)	338 (89,3)	6	AF - AR - CS CR - CM CW - CS JANUS PRO

* weight of the tank excluding attachment

SC73

MACHINE WEIGHT 7,5 - 10,0 t (116535 - 22046 lb)

ADAPTERS	CS80  KG 44 (LB 97)	CS80 JANUS PRO  KG 46 (LB 101)	CR70  KG 34 (LB 75)	CM100  KG 35 (LB 77)	CW10  KG 23 (LB 50)
----------	---	--	---	---	---




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	82 (181)	76 (20,1)	2	AF - CS
				CR - CM
				CW - CS JANUS PRO
350 (14)	89 (196)	94 (24,8)	3	AF - CS
				CR - CM
				CW - CS JANUS PRO
400 (16)	94 (207)	113 (29,9)	3	AF - CS
				CR - CM
				CW - CS JANUS PRO
450 (18)	103 (227)	133 (35,1)	3	AF - CS
				CR - CM
				CW - CS JANUS PRO
500 (20)	111 (245)	153 (40,4)	3	AF - CS
				CR - CM
				CW - CS JANUS PRO
600 (24)	127 (280)	196 (51,8)	4	AF - CS
				CR - CM
				CW - CS JANUS PRO
700 (28)	143 (315)	240 (63,4)	4	AF - CS
				CR - CM
				CW - CS JANUS PRO
800 (31)	159 (351)	286 (75,6)	5	AF - CS
				CR - CM
				CW - CS JANUS PRO
900 (35)	175 (386)	333 (88,0)	5	AF - CS
				CR - CM
				CW - CS JANUS PRO
1000 (39)	191 (421)	379 (100,1)	5	AF - CS
				CR - CM
				CW - CS JANUS PRO
1100 (43)	207 (456)	430 (113,6)	5	AF - CS
				CR - CM
				CW - CS JANUS PRO

* weight of the tank excluding attachment

SC80

MACHINE WEIGHT 10,0 - 12,0 t (22046 - 26455 lb)

ADAPTERS	CS80  KG 44 (LB 97)	CS80 JANUS PRO  KG 46 (LB 101)	CR70  KG 34 (LB 75)	CM180  KG 66 (LB 145)	CW20  KG 57 (LB 126)
----------	---	--	---	---	--




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	102 (225)	86 (22,7)	2	AF - CS
				CR - CM - CS JANUS PRO
				CW
350 (14)	110 (243)	107 (28,3)	3	AF - CS
				CR - CM - CS JANUS PRO
				CW
400 (16)	121 (267)	129 (34,1)	3	AF - CS
				CR - CM - CS JANUS PRO
				CW
450 (18)	130 (287)	151 (39,9)	3	AF - CS
				CR - CM - CS JANUS PRO
				CW
500 (20)	139 (306)	174 (46,0)	3	AF - CS
				CR - CM - CS JANUS PRO
				CW
600 (24)	157 (346)	222 (58,6)	4	AF - CS
				CR - CM - CS JANUS PRO
				CW
700 (28)	175 (386)	273 (72,1)	4	AF - CS
				CR - CM - CS JANUS PRO
				CW
800 (31)	191 (421)	325 (85,9)	5	AF - CS
				CR - CM - CS JANUS PRO
				CW
900 (35)	209 (461)	379 (100,1)	5	AF - CS
				CR - CM - CS JANUS PRO
				CW
1000 (39)	226 (498)	433 (114,4)	5	AF - CS
				CR - CM - CS JANUS PRO
				CW
1100 (43)	244 (538)	486 (128,4)	5	AF - CS
				CR - CM - CS JANUS PRO
				CW
1200 (47)	262 (578)	546 (144,2)	6	AF - CS
				CR - CM - CS JANUS PRO
				CW
1300 (51)	280 (617)	602 (159,0)	6	AF - CS
				CR - CM - CS JANUS PRO
				CW

* weight of the tank excluding attachment

SC85 MIDI MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS	CS100 KG 45 (LB 99)	CS100 JANUS PRO KG 93 (LB 205)	CM180 KG 66 (LB 145)	CW20 KG 57 (LB 126)
----------	------------------------	-----------------------------------	-------------------------	------------------------




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
400 (16)	170 (375)	171 (45,2)	3	AF - CM
				CS - CW
				CS JANUS PRO
500 (20)	190 (419)	235 (62,1)	3	AF - CM
				CS - CW
				CS JANUS PRO
600 (24)	210 (463)	300 (79,3)	4	AF - CM
				CS - CW
				CS JANUS PRO
700 (28)	230 (507)	368 (97,2)	4	AF - CM
				CS - CW
				CS JANUS PRO
800 (31)	250 (551)	438 (115,7)	5	AF - CM
				CS - CW
				CS JANUS PRO
900 (35)	270 (595)	510 (134,7)	5	AF - CM
				CS - CW
				CS JANUS PRO
1000 (39)	291 (642)	584 (154,3)	5	AF - CM
				CS - CW
				CS JANUS PRO
1100 (43)	312 (688)	657 (173,6)	5	AF - CM
				CS - CW
				CS JANUS PRO
1200 (47)	333 (734)	730 (192,8)	6	AF - CM
				CS - CW
				CS JANUS PRO
1300 (51)	354 (780)	810 (214,0)	6	AF - CM
				CS - CW
				CS JANUS PRO

* weight of the tank excluding attachment

SC92 GD EXCAVATOR MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS	CS100 KG 45 (LB 99)	CS100 JANUS PRO KG 93 (LB 205)	CM180 KG 66 (LB 145)	CW20 KG 54 (LB 126)
----------	------------------------	-----------------------------------	-------------------------	------------------------



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
400 (16)	185 (407)	250 (66)	3	AF - CM
				CS - CW
				CS JANUS PRO
500 (20)	213 (469)	315 (83)	3	AF - CM
				CS - CW
				CS JANUS PRO
600 (24)	228 (503)	380 (100,4)	4	AF - CM
				CS - CW
				CS JANUS PRO
700 (28)	251 (553)	450 (118,9)	4	AF - CM
				CS - CW
				CS JANUS PRO
800 (31)	281 (619)	560 (147,9)	5	AF - CM
				CS - CW
				CS JANUS PRO
900 (35)	309 (681)	620 (163,8)	5	AF - CM
				CS - CW
				CS JANUS PRO
1000 (39)	350 (772)	700 (184,9)	5	AF - CM
				CS - CW
				CS JANUS PRO
1200 (47)	403 (888)	900 (237,7)	6	AF - CM
				CS - CW
				CS JANUS PRO

* weight of the tank excluding attachment

SC100 GD MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS PRO



KG 93 (LB 205)

CM180




KG 66 (LB 145)

CW30



KG 66 (LB 145)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
400 (16)	250 (511)	300 (79)	3	AF - CM
				CS - CW
				CS JANUS PRO
500 (20)	287 (632)	370 (98)	3	AF - CM
				CS - CW
				CS JANUS PRO
600 (24)	316 (697)	450 (118,9)	3	AF - CM
				CS - CW
				CS JANUS PRO
700 (28)	355 (783)	535 (141,3)	4	AF - CM
				CS - CW
				CS JANUS PRO
800 (31)	394 (869)	620 (163,7)	4	AF - CM
				CS - CW
				CS JANUS PRO
900 (35)	433 (955)	710 (187,5)	4	AF - CM
				CS - CW
				CS JANUS PRO
1000 (39)	472 (1041)	800 (211,3)	5	AF - CM
				CS - CW
				CS JANUS PRO
1200 (47)	550 (1213)	980 (258,8)	5	AF - CM
				CS - CW
				CS JANUS PRO

3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE

SC110 GD MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS PRO



KG 93 (LB 205)

CM180




KG 66 (LB 145)

CW30



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	412 (908)	480 (126,8)	3	AF - CM
				CS - CW
				CS JANUS PRO
800 (31)	502 (1107)	690 (182,3)	4	AF - CM
				CS - CW
				CS JANUS PRO
1000 (39)	592 (1305)	900 (237,7)	5	AF - CM
				CS - CW
				CS JANUS PRO
1200 (47)	682 (1504)	1110 (293,2)	5	AF - CM
				CS - CW
				CS JANUS PRO
1300 (52)	727 (1603)	1220 (322,2)	6	AF - CM
				CS - CW
				CS JANUS PRO
1400 (55)	772 (1702)	1330 (351,3)	6	AF - CM
				CS - CW
				CS JANUS PRO

3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment