





ITS PROFILE HAS BEEN DESIGNED TO HELP THE TOOL TO PENETRATE MOSTLY ROCKY GROUNDS. SUPPLIED WITH HB400 SIDE REINFORCEMENTS, STRIPS, CUTTERS AND BLADE GUARDS TO GUARANTEE HIGH RESISTANCE TO WEAR.

MOD.	MIDI								EXCAVATOR			
	SCR36	SCR38	SCR45	SCR53	SCR62	SCR67	SCR73	SCR80	SCR85	SCR92 HD	SCR100 HD	SCR110 HD
TONS (LB)	1,2 - 1,8 (2646 - 3968)	1,2 - 1,8 (2646 - 3968)	1,8 - 2,5 (3968 - 5512)	2,5 - 4,0 (5512 - 8818)	4,0 - 5,0 (8818 - 11023)	5,0 - 7,5 (11023 - 16535)	7,5 - 10,0 (16535 - 22046)	10,0 - 12,0 (22046 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)



STANDARD TECHNICAL FEATURES

- 1 REINFORCING STRIPS HB400**
THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.
- 2 DC TEETH DTE TEETH**
- 3 HB400 SIDE CAST CUTTERS AND REINFORCEMENTS**
THESE HB400 CAST CUTTERS ARE POSITIONED ON THE SURFACES MOSTLY SUBJECT TO WEAR GRANTING A HIGHER RESISTANCE.
- 4 REINFORCED CUTTING EDGE**
UP TO 10 TONS: HB400 CAST SHROUDS MOUNTED ON PARTS SUBJECT TO WEAR.
BEYOND 10 TONS: HB400 CUTTING EDGE.

OPTIONAL

- 5 GRADING EDGE**
INSTALLED DIRECTLY ON THE ADAPTERS OF THE WELDED TEETH. THIS PATTERN MAKES THE INSTALLING/UNINSTALLING OPERATIONS EASIER AND GRANTS A HIGH RESISTANCE TO THE BUCKET.



SCR36 MACHINE WEIGHT 1,2 - 1,8 t (2646 - 3968 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10


KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
200 (8)	17 (38)	15 (4,0)	2	AR - CS
				CR
				CS JANUS PRO
250 (10)	19 (43)	20 (5,3)	DF2 DC3 DE3	AR - CS
				CR
				CS JANUS PRO
300 (12)	22 (48)	25 (6,6)	3	AR - CS
				CR
				CS JANUS PRO
350 (14)	24 (52)	31 (8,2)	3	AR - CS
				CR
				CS JANUS PRO
400 (16)	28 (61)	37 (9,8)	3	AR - CS
				CR
				CS JANUS PRO
450 (18)	31 (68)	43 (11,4)	3	AR - CS
				CR
				CS JANUS PRO
500 (20)	35 (76)	49 (12,4)	4	AR - CS
				CR
				CS JANUS PRO
600 (24)	39 (86)	61 (16,1)	4	AR - CS
				CR
				CS JANUS PRO
700 (28)	44 (98)	74 (19,5)	5	AR - CS
				CR
				CS JANUS PRO

OPTIONAL

5

SUPPLEMENTARY
BLADE

SCR38 MACHINE WEIGHT 1,2 - 1,8 t (2646 - 3968 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15


KG 10 (LB 22)

CM20

KG 10 (LB 22)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
200 (8)	17 (38)	15 (4,0)	2	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
250 (10)	19 (43)	20 (5,3)	DF2 DC3 DE3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
300 (12)	22 (48)	25 (6,6)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
350 (14)	24 (52)	31 (8,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
400 (16)	28 (61)	37 (9,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
450 (18)	31 (68)	43 (11,4)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
500 (20)	35 (76)	49 (12,4)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
600 (24)	39 (86)	61 (16,1)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
700 (28)	44 (98)	74 (19,5)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO

OPTIONAL

5

SUPPLEMENTARY
BLADE

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCR45

MACHINE WEIGHT 1,8 - 2,5 t (3968 - 5512 lb)

ADAPTERS

AR30

KG 10 (LB 22)

CS10

KG 10 (LB 22)

CS30

KG 18 (LB 39)

CS10 JANUS PRO

KG 10 (LB 22)

CS30 JANUS PRO

KG 19 (LB 41)

CR30


KG 13 (LB 28)

CM30

KG 12 (LB 26)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	26 (57)	25 (6,6)	DF2 DC3 DE3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
300 (12)	29 (64)	33 (8,7)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
350 (14)	32 (80)	40 (10,6)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
400 (16)	36 (80)	48 (12,7)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
450 (18)	39 (87)	56 (14,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
500 (20)	43 (95)	65 (17,2)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
600 (24)	50 (109)	82 (21,7)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
700 (28)	56 (123)	100 (26,4)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
800 (31)	65 (142)	117 (30,9)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

SCR53

MACHINE WEIGHT 2,5 - 4,0 t (5512 - 8818 lb)

ADAPTERS

AR40

KG 11 (LB 24)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR40


KG 14 (LB 30)

CM30

KG 12 (LB 26)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	37 (82)	32 (8,5)	2	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
300 (12)	40 (89)	41 (10,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
350 (14)	46 (101)	51 (13,5)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
400 (16)	51 (111)	61 (16,1)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
450 (18)	55 (121)	72 (19,0)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
500 (20)	59 (129)	82 (21,7)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
600 (24)	67 (148)	105 (27,7)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
700 (28)	76 (167)	127 (33,5)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
800 (31)	85 (187)	152 (40,2)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
900 (35)	93 (206)	175 (46,2)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCR62

MACHINE WEIGHT 4,0 - 5,0 t (8818 - 11023 lb)

ADAPTERS

AR50

KG 17 (LB 37)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR50


KG 22 (LB 48)

CM100

KG 35 (LB 77)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	57 (126)	45 (11,9)	2	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
300 (12)	63 (138)	58 (15,3)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
350 (14)	68 (150)	71 (18,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
400 (16)	74 (163)	85 (22,5)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
450 (18)	79 (175)	100 (26,4)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
500 (20)	86 (188)	115 (30,4)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
600 (24)	97 (215)	147 (38,8)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
700 (28)	109 (241)	180 (47,6)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
800 (31)	121 (267)	213 (56,3)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
900 (35)	133 (293)	248 (65,5)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
1000 (39)	145 (319)	282 (74,5)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

SCR67

MACHINE WEIGHT 5,0 - 7,5 t (11023 - 16535 lb)

ADAPTERS

AR50

KG 17 (LB 37)

AR70

KG 24 (LB 52)

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR50

KG 22 (LB 48)

CR70


KG 34 (LB 75)

CM100

KG 35 (LB 77)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	83 (182)	68 (18,0)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
350 (14)	92 (202)	84 (22,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
400 (16)	101 (222)	101 (26,7)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
450 (18)	109 (240)	118 (31,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
500 (20)	117 (258)	137 (36,2)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
600 (24)	134 (296)	174 (46,0)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
700 (28)	150 (331)	214 (56,5)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
800 (31)	167 (368)	254 (67,1)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
900 (35)	183 (403)	295 (77,9)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO
1000 (39)	199 (438)	338 (89,3)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS PRO

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCR73 MACHINE WEIGHT 7,5 - 10,0 t (116535 - 22046 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70


KG 34 (LB 75)

CM100

KG 35 (LB 77)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	95 (210)	76 (20,1)	2	AF - CS
				CR - CM
				CW - CS JANUS PRO
350 (14)	103 (228)	94 (24,8)	3	AF - CS
				CR - CM
				CW - CS JANUS PRO
400 (16)	110 (243)	113 (29,9)	3	AF - CS
				CR - CM
				CW - CS JANUS PRO
450 (18)	120 (265)	133 (35,1)	3	AF - CS
				CR - CM
				CW - CS JANUS PRO
500 (20)	130 (286)	153 (40,4)	3	AF - CS
				CR - CM
				CW - CS JANUS PRO
600 (24)	148 (326)	196 (51,8)	4	AF - CS
				CR - CM
				CW - CS JANUS PRO
700 (28)	166 (366)	240 (63,4)	4	AF - CS
				CR - CM
				CW - CS JANUS PRO
800 (31)	184 (406)	286 (75,6)	5	AF - CS
				CR - CM
				CW - CS JANUS PRO
900 (35)	202 (446)	333 (88,0)	5	AF - CS
				CR - CM
				CW - CS JANUS PRO
1000 (39)	220 (486)	379 (100,1)	5	AF - CS
				CR - CM
				CW - CS JANUS PRO
1100 (43)	238 (525)	430 (113,6)	5	AF - CS
				CR - CM
				CW - CS JANUS PRO

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

SCR80 MACHINE WEIGHT 10,0 - 12,0 t (22046 - 26455 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70


KG 34 (LB 75)

CM180

KG 66 (LB 145)

CW20

KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	119 (261)	86 (22,7)	2	AF - CS
				CR - CM - CS JANUS PRO
				CW
350 (14)	128 (282)	107 (28,3)	3	AF - CS
				CR - CM - CS JANUS PRO
				CW
400 (16)	141 (311)	129 (34,1)	3	AF - CS
				CR - CM - CS JANUS PRO
				CW
450 (18)	151 (333)	151 (39,9)	3	AF - CS
				CR - CM - CS JANUS PRO
				CW
500 (20)	162 (357)	174 (46,0)	3	AF - CS
				CR - CM - CS JANUS PRO
				CW
600 (24)	182 (402)	222 (58,6)	4	AF - CS
				CR - CM - CS JANUS PRO
				CW
700 (28)	203 (447)	273 (72,1)	4	AF - CS
				CR - CM - CS JANUS PRO
				CW
800 (31)	222 (489)	325 (85,9)	5	AF - CS
				CR - CM - CS JANUS PRO
				CW
900 (35)	242 (534)	379 (100,1)	5	AF - CS
				CR - CM - CS JANUS PRO
				CW
1000 (39)	261 (576)	433 (114,4)	5	AF - CS
				CR - CM - CS JANUS PRO
				CW
1100 (43)	282 (621)	486 (128,4)	5	AF - CS
				CR - CM - CS JANUS PRO
				CW
1200 (47)	303 (667)	546 (144,2)	6	AF - CS
				CR - CM - CS JANUS PRO
				CW
1300 (51)	323 (712)	602 (159,0)	6	AF - CS
				CR - CM - CS JANUS PRO
				CW

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCR85 MIDI

MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS PRO



KG 93 (LB 205)

CM180




KG 66 (LB 145)

CW20



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
400 (16)	197 (435)	171 (45,2)	3	AF - CM
				CS - CW
				CS JANUS PRO
500 (20)	220 (486)	235 (62,1)	3	AF - CM
				CS - CW
				CS JANUS PRO
600 (24)	243 (536)	300 (79,3)	4	AF - CM
				CS - CW
				CS JANUS PRO
700 (28)	266 (586)	368 (97,2)	4	AF - CM
				CS - CW
				CS JANUS PRO
800 (31)	289 (638)	438 (115,7)	5	AF - CM
				CS - CW
				CS JANUS PRO
900 (35)	312 (688)	510 (134,7)	5	AF - CM
				CS - CW
				CS JANUS PRO
1000 (39)	336 (741)	584 (154,3)	5	AF - CM
				CS - CW
				CS JANUS PRO
1100 (43)	360 (793)	657 (173,6)	5	AF - CM
				CS - CW
				CS JANUS PRO
1200 (47)	384 (847)	730 (192,8)	6	AF - CM
				CS - CW
				CS JANUS PRO
1300 (51)	408 (899)	810 (214,0)	6	AF - CM
				CS - CW
				CS JANUS PRO

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

SCR92 HD EXCAVATOR

MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS PRO



KG 93 (LB 205)

CM180




KG 66 (LB 145)

CW20



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	261 (575)	380 (100,4)	4	AF - CM
				CS - CW
				CS JANUS PRO
700 (28)	287 (633)	450 (118,9)	4	AF - CM
				CS - CW
				CS JANUS PRO
800 (31)	320 (705)	560 (147,9)	5	AF - CM
				CS - CW
				CS JANUS PRO
900 (35)	352 (776)	620 (163,8)	5	AF - CM
				CS - CW
				CS JANUS PRO
1000 (39)	395 (871)	700 (184,9)	5	AF - CM
				CS - CW
				CS JANUS PRO
1200 (47)	454 (1001)	900 (237,7)	6	AF - CM
				CS - CW
				CS JANUS PRO

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCR100 HD MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS PRO



KG 93 (LB 205)

CM180




KG 66 (LB 145)

CW20



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	353 (778)	450 (118,9)	3	AF - CM
				CS - CW
				CS JANUS PRO
700 (28)	397 (875)	535 (141,3)	4	AF - CM
				CS - CW
				CS JANUS PRO
800 (31)	441 (972)	620 (163,7)	4	AF - CM
				CS - CW
				CS JANUS PRO
900 (35)	485 (1069)	710 (187,5)	4	AF - CM
				CS - CW
				CS JANUS PRO
1000 (39)	529 (1166)	800 (211,3)	5	AF - CM
				CS - CW
				CS JANUS PRO
1200 (47)	617 (1360)	980 (258,8)	5	AF - CM
				CS - CW
				CS JANUS PRO

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

SCR110 HD MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS PRO



KG 93 (LB 205)

CM180




KG 66 (LB 145)

CW20



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	457 (1008)	480 (126,8)	3	AF - CM
				CS - CW
				CS JANUS PRO
800 (31)	559 (1232)	690 (182,3)	4	AF - CM
				CS - CW
				CS JANUS PRO
1000 (39)	671 (1479)	900 (237,7)	5	AF - CM
				CS - CW
				CS JANUS PRO
1200 (47)	773 (1704)	1110 (293,2)	5	AF - CM
				CS - CW
				CS JANUS PRO
1300 (52)	824 (1817)	1220 (322,2)	6	AF - CM
				CS - CW
				CS JANUS PRO
1400 (55)	875 (1929)	1330 (351,3)	6	AF - CM
				CS - CW
				CS JANUS PRO

OPTIONAL

5	SUPPLEMENTARY BLADE
---	------------------------

* weight of the tank excluding attachment

* weight of the tank excluding attachment