



STANDARD TECHNICAL FEATURES

- 1

ELONGATED PROFILE
- 2

REINFORCING STRIPS

THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.
- 3

HB400 CUTTING EDGE
- 4

DC TEETH DTE TEETH

OPTIONAL

- 5

HB500 WELDED ADDITIONAL CUTTING EDGE

RECOMMENDED TO WORK ON PARTICULARLY ABRASIVE SOILS.

ITS ELONGATED PROFILE AVOIDS THAT THE GROUND STICKS TO THE BUCKET'S SIDE WALLS AND SIMPLIFIES THE DISCHARGE OF LOAMY AND WET MATERIALS. THE BLADE IS MADE OF HB400 FOR A HIGHER RESISTANCE TO WEAR.

MOD.	MIDI							EXCAVATOR				
	SCS 35GD	SCS 40GD	SCS 48GD	SCS 60GD	SCS 67GD	SCS 71GD	SCS 75GD	SCS 80GD	SCS 85GD	SCS 92GD	SCS 100GD	SCS 110GD
TONS (LB)	0,8 - 1,5 (1764 - 3307)	1,5 - 2,0 (3307 - 4409)	2,0 - 3,0 (4409 - 6614)	3,0 - 4,0 (6614 - 8818)	4,0 - 6,0 (8818 - 13228)	6,0 - 7,5 (13228 - 16535)	7,5 - 9,0 (16535 - 19842)	9,0 - 12,0 (19842 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)

SCS35 GD MACHINE WEIGHT 0,8 - 1,5 (1764 - 3307 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)

CM20

KG 10 (LB 22)

S30-150

KG 6 (LB 13)

S30-180


KG 8 (LB 17)

CW00

KG 5 (LB 11)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	17 (37)	25 (6,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	20 (44)	30 (7,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	26 (57)	42 (11,1)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	31 (68)	54 (14,3)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

SCS40 GD MACHINE WEIGHT 1,5 - 2,0 (3307 - 4409 lb)

ADAPTERS

AR15

KG 7 (LB 15)

AR30

KG 10 (LB 22)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)

CR30

KG 10 (LB 28)

CM20

KG 10 (LB 22)

CM30

KG 12 (LB 26)

S30-150


KG 6 (LB 13)

S30-180

KG 8 (LB 17)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	23 (51)	35 (9,2)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	30 (66)	45 (11,8)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	38 (84)	60 (16,8)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	45 (99)	85 (22,4)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

SCS48 GD MACHINE WEIGHT 2,0 - 3,0 (4409 - 6614 lb)

ADAPTERS

AR30

KG 10 (LB 22)

AR40

KG 11 (LB 24)

CS10

KG 10 (LB 22)

CS30

KG 18 (LB 39)

CS10 JANUS PRO

KG 10 (LB 22)

CS30 JANUS PRO

KG 19 (LB 41)

CR30

KG 13 (LB 28)

CR40

KG 14 (LB 30)

CM30

KG 12 (LB 26)

S30-150


KG 6 (LB 13)

S30-180

KG 8 (LB 17)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	34 (75)	48 (12,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	43 (95)	68 (17,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	55 (121)	85 (22,4)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	65 (143)	110 (29,0)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
800 (31)	90 (199)	160 (42,2)	5	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

SCS60 GD MACHINE WEIGHT 3,0 - 4,0 (6614 - 8818 lb)

ADAPTERS

AR40

KG 11 (LB 24)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR40

KG 14 (LB 30)

CM30


KG 12 (LB 26)

S40-200

KG 15 (LB 33)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	44 (97)	78 (20,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	54 (119)	105 (27,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	66 (146)	140 (36,9)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	80 (176)	165 (43,5)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
800 (31)	100 (220)	225 (59,4)	5	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

OPTIONAL

5


HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCS67 GD MACHINE WEIGHT 4,0 - 6,0 (8818 - 13228 lb)

ADAPTERS	AR50	CS30	CS30 JANUS PRO	CS80	CR50	CM100	S40-200	CW10
	KG 17 (LB 37)	KG 18 (LB 39)	KG 19 (LB 41)	KG 44 (LB 97)	KG 22 (LB 48)	KG 35 (LB 77)	KG 15 (LB 33)	KG 23 (LB 50)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	65 (143)	90 (23,7)	3	AF - AR - CS CR - S - CM CW - CS JANUS PRO
400 (16)	73 (161)	130 (34,3)	3	AF - AR - CS CR - S - CM CW - CS JANUS PRO
500 (20)	91 (201)	170 (44,9)	4	AF - AR - CS CR - S - CM CW - CS JANUS PRO
600 (24)	106 (234)	200 (52,8)	4	AF - AR - CS CR - S - CM CW - CS JANUS PRO
800 (31)	140 (309)	280 (73,9)	5	AF - AR - CS CR - S - CM CW - CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

SCS71 GD MACHINE WEIGHT 6,0 - 7,5 (13228 - 16535 lb)

ADAPTERS	AR70	CS80	CS80 JANUS PRO	CR70	CM100	S45	S50	CW10
	KG 24 (LB 52)	KG 44 (LB 97)	KG 46 (LB 101)	KG 34 (LB 75)	KG 35 (LB 77)	KG 28 (LB 51)	KG 29 (LB 63)	KG 23 (LB 50)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	94 (207)	150 (39,6)	3	AF - AR - CS CR - S - CM CW - CS JANUS PRO
500 (20)	114 (251)	190 (50,2)	4	AF - AR - CS CR - S - CM CW - CS JANUS PRO
600 (24)	136 (300)	230 (60,7)	4	AF - AR - CS CR - S - CM CW - CS JANUS PRO
700 (28)	156 (344)	260 (68,7)	5	AF - AR - CS CR - S - CM CW - CS JANUS PRO
800 (31)	174 (384)	315 (83,2)	5	AF - AR - CS CR - S - CM CW - CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

SCS75 GD MACHINE WEIGHT 7,5 - 9,0 (16535 - 1982 lb)

ADAPTERS	CS80	CS80 JANUS PRO	CR70	CM100	S45	S50	CW10
	KG 44 (LB 97)	KG 46 (LB 101)	KG 34 (LB 75)	KG 35 (LB 77)	KG 28 (LB 61)	KG 29 (LB 63)	KG 23 (LB 50)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	108 (238)	165 (43,6)	3	AF - CS CR - S - CM CW - CS JANUS PRO
500 (20)	128 (282)	210 (55,4)	4	AF - CS CR - S - CM CW - CS JANUS PRO
600 (24)	150 (331)	260 (68,7)	4	AF - CS CR - S - CM CW - CS JANUS PRO
700 (28)	175 (386)	300 (79,2)	5	AF - CS CR - S - CM CW - CS JANUS PRO
800 (31)	194 (427)	350 (94,2)	5	AF - CS CR - S - CM CW - CS JANUS PRO
1000 (39)	231 (509)	450 (118,9)	5	AF - CS CR - S - CM CW - CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

SCS80 GD MACHINE WEIGHT 9,0 - 12,0 (1982 - 26455 lb)

ADAPTERS	CS80	CS80 JANUS PRO	CR70	CM100	CM180	S45	S50	CW10
	KG 44 (LB 97)	KG 46 (LB 101)	KG 34 (LB 75)	KG 35 (LB 77)	KG 66 (LB 145)	KG 28 (LB 61)	KG 29 (LB 63)	KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	118 (260)	190 (50,2)	3	AF - CS CR - S - CM CW - CS JANUS PRO
500 (20)	135 (298)	245 (64,7)	3	AF - CS CR - S - CM CW - CS JANUS PRO
600 (24)	157 (346)	300 (79,2)	4	AF - CS CR - S - CM CW - CS JANUS PRO
700 (28)	185 (408)	350 (92,4)	4	AF - CS CR - S - CM CW - CS JANUS PRO
800 (31)	207 (456)	400 (105,7)	5	AF - CS CR - S - CM CW - CS JANUS PRO
1000 (39)	250 (551)	500 (132,1)	5	AF - CS CR - S - CM CW - CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCS85 GD **MIDI** MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180


KG 66 (LB 145)

S60

KG 57 (LB 125)

CW20

KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
500 (20)	175 (386)	265 (70,0)	3	AF - S - CM CS - CW CS JANUS PRO
600 (24)	200 (441)	330 (87,1)	4	AF - S - CM CS - CW CS JANUS PRO
700 (28)	228 (503)	400 (105,7)	4	AF - S - CM CS - CW CS JANUS PRO
800 (31)	253 (558)	450 (118,8)	5	AF - S - CM CS - CW CS JANUS PRO
900 (39)	278 (613)	500 (132,1)	5	AF - S - CM CS - CW CS JANUS PRO
1000 (39)	305 (672)	580 (153,2)	5	AF - S - CM CS - CW CS JANUS PRO
1200 (47)	340 (750)	740 (195,5)	6	AF - S - CM CS - CW CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

SCS92 GD **EXCAVATOR** MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180


KG 66 (LB 145)

S60

KG 57 (LB 125)

CW20

KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	228 (503)	380 (100,4)	4	AF - S - CM CS - CW CS JANUS PRO
700 (28)	251 (553)	450 (118,9)	4	AF - S - CM CS - CW CS JANUS PRO
800 (31)	281 (619)	560 (147,9)	4	AF - S - CM CS - CW CS JANUS PRO
900 (35)	309 (681)	620 (163,8)	5	AF - S - CM CS - CW CS JANUS PRO
1000 (39)	350 (772)	700 (184,9)	5	AF - S - CM CS - CW CS JANUS PRO
1200 (47)	403 (888)	900 (237,7)	6	AF - S - CM CS - CW CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

SCS100 GD MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180


KG 66 (LB 145)

S60

KG 57 (LB 125)

CW20

KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	316 (697)	450 (118,9)	3	AF - S - CM CS - CW CS JANUS PRO
700 (28)	355 (783)	535 (141,3)	4	AF - S - CM CS - CW CS JANUS PRO
800 (31)	394 (869)	620 (163,7)	4	AF - S - CM CS - CW CS JANUS PRO
900 (35)	433 (955)	710 (187,5)	4	AF - S - CM CS - CW CS JANUS PRO
1000 (39)	472 (1041)	800 (211,3)	5	AF - S - CM CS - CW CS JANUS PRO
1200 (47)	550 (1213)	980 (258,8)	5	AF - S - CM CS - CW CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

SCS110 GD MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180


KG 66 (LB 145)

S60

KG 57 (LB 125)

CW30

KG 66 (LB 145)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	412 (908)	480 (126,8)	3	AF - S - CM CS - CW CS JANUS PRO
800 (31)	502 (1107)	690 (182,3)	4	AF - S - CM CS - CW CS JANUS PRO
1000 (39)	592 (1305)	900 (237,7)	5	AF - S - CM CS - CW CS JANUS PRO
1200 (47)	682 (1504)	1110 (293,2)	5	AF - S - CM CS - CW CS JANUS PRO
1300 (52)	727 (1603)	1220 (322,2)	6	AF - S - CM CS - CW CS JANUS PRO
1400 (55)	772 (1702)	1330 (351,3)	6	AF - S - CM CS - CW CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment