




ITS ELONGATED PROFILE AVOIDS THAT THE GROUND STICKS TO THE BUCKET'S SIDE WALLS AND SIMPLIFIES THE DISCHARGE OF LOAMY AND WET MATERIALS. THE BLADE, THE SIDE CAST CUTTERS AND SIDE REINFORCEMENTS AND THE REAR STRIPS ARE MADE OF HB400.

MOD.	MIDI								EXCAVATOR			
	SCS 35HD	SCS 40HD	SCS 48HD	SCS 60HD	SCS 67HD	SCS 71HD	SCS 75HD	SCS 80HD	SCS 85HD	SCS 92HD	SCS 100HD	SCS 110HD
TONS (LB)	0,8 - 1,5 (1764 - 3307)	1,5 - 2,0 (3307 - 4409)	2,0 - 3,0 (4409 - 6614)	3,0 - 4,0 (6614 - 8818)	4,0 - 6,0 (8818 - 13228)	6,0 - 7,5 (13228 - 16535)	7,5 - 9,0 (16535 - 19842)	9,0 - 12,0 (19842 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)


SCANDINAVIA
PROFILE



STANDARD TECHNICAL FEATURES


- 1 ELONGATED PROFILE**
- 2 HB400 REINFORCING STRIPS**
THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.
- 3 HB400 CUTTING EDGE**
- 4 HB400 SIDE CAST CUTTERS AND SIDE REINFORCEMENTS**
THESE HB400 CAST CUTTERS ARE POSITIONED ON THE SURFACES MOSTLY SUBJECT TO WEAR GRANTING A HIGHER RESISTANCE.
- 5 DC TEETH DTE TEETH**

SCS35 HD MACHINE WEIGHT 0,8 - 1,5 (1764 - 3307 lb)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	20 (44)	25 (6,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
300 (12)	24 (53)	30 (7,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	30 (66)	42 (11,1)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	35 (77)	54 (14,3)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

SCS40 HD MACHINE WEIGHT 1,5 - 2,0 (3307 - 4409 lb)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	26 (57)	35 (9,2)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	34 (75)	45 (11,8)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	42 (92)	60 (16,8)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	49 (108)	85 (22,4)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

SCS48 HD MACHINE WEIGHT 2,0 - 3,0 (4409 - 6614 lb)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	38 (83)	48 (12,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	48 (105)	68 (17,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	61 (134)	85 (22,4)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	72 (158)	110 (29,0)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
800 (31)	98 (216)	160 (42,2)	5	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

SCS60 HD MACHINE WEIGHT 3,0 - 4,0 (6614 - 8818 lb)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	52 (114)	78 (20,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	63 (138)	105 (27,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	76 (167)	140 (36,9)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	91 (200)	165 (43,5)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
800 (31)	112 (246)	225 (59,4)	5	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCS67 HD MACHINE WEIGHT 4,0 - 6,0 (8818 - 13228 lb)

ADAPTERS

AR50

KG 17 (LB 37)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CS80

KG 44 (LB 97)

CR50

KG 22 (LB 48)

CM100


KG 35 (LB 77)

S40-200

KG 15 (LB 33)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	75 (165)	90 (23,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
400 (16)	85 (187)	130 (34,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	105 (231)	170 (44,9)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	122 (269)	200 (52,8)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
800 (31)	160 (353)	280 (73,9)	5	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

SCS71 HD MACHINE WEIGHT 6,0 - 7,5 (13228 - 16535 lb)

ADAPTERS

AR70

KG 24 (LB 52)

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

CM100

KG 35 (LB 77)

S45


KG 28 (LB 51)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	108 (238)	150 (39,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	130 (287)	190 (50,2)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	154 (340)	230 (60,7)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
700 (28)	176 (388)	260 (68,7)	5	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO
800 (31)	197 (434)	315 (83,2)	5	AF - AR - CS
				CR - S - CM
				CW - CS JANUS PRO

SCS75 HD MACHINE WEIGHT 7,5 - 9,0 (16535 - 1982 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

CM100

KG 35 (LB 77)

S45


KG 28 (LB 61)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	123 (271)	165 (43,6)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	282 (320)	210 (55,4)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	170 (375)	260 (68,7)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
700 (28)	198 (437)	300 (79,2)	5	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
800 (31)	220 (485)	350 (94,2)	5	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
1000 (39)	263 (580)	450 (118,9)	5	AF - CS
				CR - S - CM
				CW - CS JANUS PRO

SCS80 HD MACHINE WEIGHT 9,0 - 12,0 (1982 - 26455 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

CM100

KG 35 (LB 77)

CM180

KG 66 (LB 145)

S45


KG 28 (LB 61)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	133 (293)	190 (50,2)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
500 (20)	153 (337)	245 (64,7)	3	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
600 (24)	178 (392)	300 (79,2)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
700 (28)	209 (460)	350 (92,4)	4	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
800 (31)	234 (515)	400 (105,7)	5	AF - CS
				CR - S - CM
				CW - CS JANUS PRO
1000 (39)	283 (623)	500 (132,1)	5	AF - CS
				CR - S - CM
				CW - CS JANUS PRO

* weight of the tank excluding attachment


* weight of the tank excluding attachment

SCS85 HD **MIDI** MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
500 (20)	197 (434)	265 (70,0)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
600 (24)	225 (496)	330 (87,1)	4	AF - S - CM
				CS - CW
				CS JANUS PRO
700 (28)	256 (564)	400 (105,7)	4	AF - S - CM
				CS - CW
				CS JANUS PRO
800 (31)	284 (626)	450 (118,8)	5	AF - S - CM
				CS - CW
				CS JANUS PRO
900 (39)	312 (687)	500 (132,1)	5	AF - S - CM
				CS - CW
				CS JANUS PRO
1000 (39)	342 (754)	580 (153,2)	5	AF - S - CM
				CS - CW
				CS JANUS PRO
1200 (47)	383 (844)	740 (195,5)	6	AF - S - CM
				CS - CW
				CS JANUS PRO

SCS92 HD **EXCAVATOR** MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	261 (575)	380 (100,4)	4	AF - S - CM
				CS - CW
				CS JANUS PRO
700 (28)	287 (633)	450 (118,9)	4	AF - S - CM
				CS - CW
				CS JANUS PRO
800 (31)	320 (705)	560 (147,9)	5	AF - S - CM
				CS - CW
				CS JANUS PRO
900 (35)	352 (776)	620 (163,8)	5	AF - S - CM
				CS - CW
				CS JANUS PRO
1000 (39)	395 (871)	700 (184,9)	5	AF - S - CM
				CS - CW
				CS JANUS PRO
1200 (47)	454 (1001)	900 (237,7)	6	AF - S - CM
				CS - CW
				CS JANUS PRO

SCS100 HD MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	353 (778)	450 (118,9)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
700 (28)	397 (875)	535 (141,3)	4	AF - S - CM
				CS - CW
				CS JANUS PRO
800 (31)	441 (972)	620 (163,7)	4	AF - S - CM
				CS - CW
				CS JANUS PRO
900 (35)	485 (1069)	710 (187,5)	4	AF - S - CM
				CS - CW
				CS JANUS PRO
1000 (39)	529 (1166)	800 (211,3)	5	AF - S - CM
				CS - CW
				CS JANUS PRO
1200 (47)	617 (1360)	980 (258,8)	5	AF - S - CM
				CS - CW
				CS JANUS PRO

SCS110 HD MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	457 (1008)	480 (126,8)	3	AF - S - CM
				CS - CW
				CS JANUS PRO
800 (31)	559 (1232)	690 (182,3)	4	AF - S - CM
				CS - CW
				CS JANUS PRO
1000 (39)	671 (1479)	900 (237,7)	5	AF - S - CM
				CS - CW
				CS JANUS PRO
1200 (47)	773 (1704)	1110 (293,2)	5	AF - S - CM
				CS - CW
				CS JANUS PRO
1300 (52)	824 (1817)	1220 (322,2)	6	AF - S - CM
				CS - CW
				CS JANUS PRO
1400 (55)	875 (1929)	1330 (351,3)	6	AF - S - CM
				CS - CW
				CS JANUS PRO

* weight of the tank excluding attachment

* weight of the tank excluding attachment