




SCANDINAVIA
PROFILE



HB400



ITS ELONGATED PROFILE AVOIDS THAT THE GROUND STICKS TO THE BUCKET'S SIDE WALLS AND SIMPLIFIES THE DISCHARGE OF LOAMY AND WET MATERIALS. ITS HOLLOW SIDE WALLS HELP THE CROSSING OF GAS AND HYDRAULIC PIPES OR PLANTS, ETC. THE BLADE IS MADE OF HB400 FOR A HIGHER RESISTANCE TO WEAR.

STANDARD TECHNICAL FEATURES

- 1 ELONGATED PROFILE
- 2 HB400 CUTTING EDGE
- 3 DC TEETH DTE TEETH

OPTIONAL

- 4 HB500 WELDED ADDITIONAL CUTTING EDGE
RECOMMENDED TO WORK ON PARTICULARLY ABRASIVE SOILS.

MOD.	MIDI								EXCAVATOR			
	VS 35GD	VS 40GD	VS 48GD	VS 60GD	VS 67GD	VS 71GD	VS 75GD	VS 80GD	VS 85GD	VS 92GD	VS 100GD	VS 110GD
TONS (LB)	0,8 - 1,5 (1764 - 3307)	1,5 - 2,0 (3307 - 4409)	2,0 - 3,0 (4409 - 6614)	3,0 - 4,0 (6614 - 8818)	4,0 - 6,0 (8818 - 13228)	6,0 - 7,5 (13228 - 16535)	7,5 - 9,0 (16535 - 19842)	9,0 - 12,0 (19842 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)

VS35 GD MACHINE WEIGHT 0,8 - 1,5 (1764 - 3307 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)

CM20

KG 10 (LB 22)

S30-150

KG 6 (LB 13)

S30-180


KG 8 (LB 17)

CW00

KG 5 (LB 11)

CW05

KG 9 (LB 19)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
500 (20)	60 (2,4)	33 (73)	55 (14,5)	4	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO
600 (24)	50 (2,0)	38 (84)	68 (17,9)	4	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

VS40 GD MACHINE WEIGHT 1,5 - 2,0 (3307 - 4409 lb)

ADAPTERS

AR15

KG 7 (LB 15)

AR30

KG 10 (LB 22)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15

KG 10 (LB 22)

CR30

KG 10 (LB 28)

CM20

KG 10 (LB 22)

CM30

KG 12 (LB 26)

S30-150


KG 6 (LB 13)

S30-180

KG 8 (LB 17)

CW05

KG 9 (LB 19)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
500 (20)	50 (2,0)	39 (86)	59 (15,5)	4	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO
600 (24)	50 (2,0)	45 (99)	79 (20,8)	4	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

VS48 GD MACHINE WEIGHT 2,0 - 3,0 (4409 - 6614 lb)

ADAPTERS

AR30

KG 10 (LB 22)

AR40

KG 11 (LB 24)

CS10

KG 10 (LB 22)

CS30

KG 18 (LB 39)

CS10 JANUS PRO

KG 10 (LB 22)

CS30 JANUS PRO

KG 19 (LB 41)

CR30

KG 13 (LB 28)

CR40

KG 14 (LB 30)

CM30

KG 12 (LB 26)

S30-150


KG 6 (LB 13)

S30-180

KG 8 (LB 17)

CW05

KG 9 (LB 19)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
600 (24)	50 (2,0)	70 (154)	105 (27,7)	4	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO
800 (31)	52 (2,1)	94 (207)	152 (40,1)	5	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

VS60 GD MACHINE WEIGHT 3,0 - 4,0 (6614 - 8818 lb)

ADAPTERS

AR40

KG 11 (LB 24)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR40

KG 14 (LB 30)

CM30


KG 12 (LB 26)

S40-200

KG 15 (LB 33)

CW05

KG 9 (LB 19)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
600 (24)	51 (2,0)	89 (196)	151 (39,9)	4	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO
700 (28)	55 (2,2)	99 (218)	184 (48,6)	5	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO
800 (31)	52 (2,1)	113 (249)	222 (58,6)	5	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO

OPTIONAL

5
HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment

VS67 GD

MACHINE WEIGHT 4,0 - 6,0 (8818 - 13228 lb)

ADAPTERS

AR50

KG 17 (LB 37)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CS80

KG 44 (LB 97)

CR50

KG 22 (LB 48)

CM100


KG 35 (LB 77)

S40-200

KG 15 (LB 33)

CW10

KG 23 (LB 50)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
800 (31)	61 (2,4)	150 (331)	261 (68,9)	5	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO
900 (35)	57 (2,2)	169 (373)	306 (80,8)	6	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO
1000 (39)	60 (2,4)	184 (406)	351 (92,7)	6	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

VS71 GD

MACHINE WEIGHT 6,0 - 7,5 (13228 - 16535 lb)

ADAPTERS

AR70

KG 24 (LB 52)

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

CM100

KG 35 (LB 77)

S45


KG 28 (LB 51)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
800 (31)	61 (2,4)	190 (419)	304 (80,3)	5	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO
900 (35)	57 (2,2)	213 (470)	353 (93,3)	5	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO
1000 (39)	60 (2,4)	232 (511)	410 (108,3)	5	AF - AR - CS
					CR - S - CM
					CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

VS75 GD

MACHINE WEIGHT 7,5 - 9,0 (16535 - 1982 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

CM100

KG 35 (LB 77)

S45


KG 28 (LB 61)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
800 (31)	73 (2,8)	198 (437)	321 (84,8)	5	AF - CS
					CR - S - CM
					CW - CS JANUS PRO
900 (35)	74 (2,9)	218 (481)	372 (98,3)	5	AF - CS
					CR - S - CM
					CW - CS JANUS PRO
1000 (39)	75 (2,9)	240 (529)	427 (112,8)	5	AF - CS
					CR - S - CM
					CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

VS80 GD

MACHINE WEIGHT 9,0 - 12,0 (1982 - 26455 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

CM100

KG 35 (LB 77)

CM180

KG 66 (LB 145)

S45


KG 28 (LB 61)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
1000 (39)	75 (2,9)	274 (604)	479 (126,5)	5	AF - CS
					CR - S - CM
					CW - CS JANUS PRO
1100 (43)	76 (3,0)	297 (655)	539 (142,3)	5	AF - CS
					CR - S - CM
					CW - CS JANUS PRO
1200 (47)	77 (3,0)	320 (705)	610 (161,1)	6	AF - CS
					CR - S - CM
					CW - CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment

VS85 GD **MIDI**

MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180


KG 66 (LB 145)

S60

KG 57 (LB 125)

CW20

KG 57 (LB 126)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
1000 (39)	80 (3,1)	320 (705)	562 (148,5)	5	AF - S - CM
					CS - CW
					CS JANUS PRO
1200 (47)	80 (3,1)	375 (827)	723 (191,0)	6	AF - S - CM
					CS - CW
					CS JANUS PRO
1300 (51)	80 (3,1)	402 (886)	803 (212,1)	6	AF - S - CM
					CS - CW
					CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

VS92 GD **EXCAVATOR**

MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180


KG 66 (LB 145)

S60

KG 57 (LB 125)

CW20

KG 57 (LB 126)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
1200 (47)	80 (3,1)	416 (917)	783 (206,8)	5	AF - S - CM
					CS - CW
					CS JANUS PRO
1300 (51)	80 (3,1)	438 (965)	878 (231,9)	6	AF - S - CM
					CS - CW
					CS JANUS PRO
1400 (55)	80 (3,1)	460 (1014)	973 (257,0)	6	AF - S - CM
					CS - CW
					CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

VS100 GD

MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180


KG 66 (LB 145)

S60

KG 57 (LB 125)

CW20

KG 57 (LB 126)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
1200 (47)	100 (3,9)	570 (1257)	909 (240,1)	5	AF - S - CM
					CS - CW
					CS JANUS PRO
1300 (51)	100 (3,9)	615 (1356)	1004 (265,2)	6	AF - S - CM
					CS - CW
					CS JANUS PRO
1400 (55)	100 (3,9)	660 (1455)	1108 (292,7)	6	AF - S - CM
					CS - CW
					CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

VS110 GD

MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

CM180


KG 66 (LB 145)

S60

KG 57 (LB 125)

CW30

KG 66 (LB 145)



L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
1200 (47)	100 (3,9)	670 (1477)	1064 (281,1)	5	AF - S - CM
					CS - CW
					CS JANUS PRO
1300 (51)	100 (3,9)	720 (1587)	1173 (309,9)	6	AF - S - CM
					CS - CW
					CS JANUS PRO
1400 (55)	100 (3,9)	770 (1698)	1288 (340,3)	6	AF - S - CM
					CS - CW
					CS JANUS PRO

OPTIONAL

5

HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment