



HB400



HB400 REINFORCEMENTS ON THE AREAS OF MAJOR WEAR, CAST SIDE CUTTERS AND A BOLTED-IN REVERSIBLE UNDERBLADE MAKE THIS BUCKET SUITABLE FOR WORKS ON ABRASIVE SOILS.


THE INSTALLATION OF BEZELS IS HIGHLY RECOMMENDED FOR BUCKETS WIDER THAN 1400 MM, IN ORDER TO AVOID DAMAGES TO THE BUCKET IN CASE OF HEAVY DUTY JOBS OR WITH PARTICULARLY HARD TERRAINS:

- WIDTH FROM 1400 TO 1500 MM: NR. 1 BEZEL
- WIDTH FROM 1600 TO 1600 MM: NR. 2 BEZELS
- WIDTH FROM 1800 TO 2200 MM: NR. 3 BEZELS

MOD.	SPR35	SPR40	SPR40	SPR45	SPR50	SPR55	MIDI	EXCAVATOR	
							SPR60	SPR65 HD	SPR70 HD
TONS (LB)	1,2 - 1,8 (3968 - 5512)	1,8 - 2,5 (4409 - 5512)	2,5 - 4,0 (5512 - 8818)	4,0 - 5,0 (8818 - 11023)	5,0 - 7,5 (11023 - 16535)	7,5 - 10,0 (16535 - 22046)	10,0 - 12,0 (22046 - 26455)	12,0 - 18,0 (26455 - 39683)	18,0 - 22,0 (39683 - 48502)



ADAPTERS



SPECIFICHE TECNICHE STANDARD

- 1 HB400 REINFORCING STRIPS**
THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.
- 2 HB400 ADDITIONAL BOLT-ON REVERSIBLE CUTTING EDGE**
HB400 BOLTED-IN REVERSIBLE UNDERBLADE INDICATED TO WORK ON PARTICULARLY ABRASIVE SOILS.
- 3 HB400 SIDE CAST CUTTERS AND REINFORCEMENTS**
THESE HB400 CAST CUTTERS ARE POSITIONED ON THE SURFACES MOSTLY SUBJECT TO WEAR GRANTING A HIGHER RESISTANCE.

OPTIONAL

- 4 BEZEL**
IT ENSURES A HIGHER STRUCTURAL RESISTANCE. **HIGHLY RECOMMENDED WITH BUCKETS 1400MM WIDE OR MORE.**
- 5 REAR RAZOR**
WHEN THE MACHINE'S ARM IS KEPT CLOSED, IT ALLOWS TO FINISH SURFACES EVENLY.

SPR35

MACHINE WEIGHT - 1,2 - 1,8 t (2646 - 3968 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS PRO

KG 10 (LB 22)

CR15


KG 10 (LB 22)

M'LOCK30

KG 10 (LB 22)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
800 (31)	63 (138)	75 (19,8)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1000 (39)	76 (168)	96 (25,4)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1200 (47)	90 (198)	117 (30,9)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO

OPTIONAL

REAR RAZOR	5
------------	---

SPR40

MACHINE WEIGHT 1,8 - 2,5 t (4409 - 5511 lb)

ADAPTERS

AR30

KG 10 (LB 22)

CS10

KG 10 (LB 22)

CS30

KG 18 (LB 39)

CS10 JANUS PRO

KG 10 (LB 22)

CS30 JANUS PRO

KG 19 (LB 41)

CR30


KG 13 (LB 28)

M'LOCK30

KG 12 (LB 26)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
1000 (39)	108 (238)	125 (33,0)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1200 (47)	128 (282)	154 (40,7)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO

OPTIONAL

BEZEL	4	REAR RAZOR	5
-------	---	------------	---

SPR40

MACHINE WEIGHT 2,5 - 4,0 t (5511 - 8818 lb)

ADAPTERS

AR40

KG 11 (LB 24)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR40


KG 14 (LB 30)

M'LOCK30

KG 12 (LB 26)

CW05

KG 9 (LB 19)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
1000 (39)	108 (238)	125 (33,0)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1200 (47)	128 (282)	154 (40,7)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1400 (55)	148 (326)	182 (48,1)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO

OPTIONAL

BEZEL	4	REAR RAZOR	5
-------	---	------------	---

SPR45

MACHINE WEIGHT 4,0 - 5,0 t (8818 - 11023 lb)

ADAPTERS

AR50

KG 17 (LB 37)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR50


KG 22 (LB 48)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
1200 (47)	160 (353)	213 (56,3)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1400 (55)	185 (407)	254 (67,1)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1500 (59)	197 (433)	274 (72,4)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO

OPTIONAL

BEZEL	4	REAR RAZOR	5
-------	---	------------	---

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SPR50

MACHINE WEIGHT 5,0 - 7,5 t (11012 - 16535 lb)

ADAPTERS

AR50

KG 17 (LB 37)

AR70

KG 24 (LB 52)

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR50

KG 22 (LB 48)

CR70

KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)


CW10

KG 23 (LB 50)

490 MM
(19 IN)

590 MM
(23 IN)

L



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
1200 (47)	183 (404)	250 (66,0)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1400 (55)	211 (465)	298 (78,8)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1600 (63)	239 (526)	345 (91,1)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO
1800 (71)	266 (587)	392 (103,6)	AF - AR - CS
			CR - CM
			CW - CS JANUS PRO

OPTIONAL

4

5

BEZEL

REAR RAZOR

SPR55

MACHINE WEIGHT 7,5 - 10,0 t (16535 - 22046 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)

545 MM

620 MM

L



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
1200 (47)	233 (515)	326 (86,1)	AF - CS
			CR - CM
			CW - CS JANUS PRO
1400 (55)	267 (588)	387 (102,2)	AF - CS
			CR - CM
			CW - CS JANUS PRO
1600 (63)	302 (665)	447 (118,1)	AF - CS
			CR - CM
			CW - CS JANUS PRO
1800 (71)	336 (741)	507 (133,9)	AF - CS
			CR - CM
			CW - CS JANUS PRO

OPTIONAL

4

5

BEZEL

REAR RAZOR

SPR60

MIDI MACHINE WEIGHT 10,0 - 12,0 t (22046 - 26455 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS PRO

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 66 (LB 145)

CW20

KG 57 (LB 126)

595 MM
(23 IN)

710 MM
(28 IN)

L



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
1200 (47)	273 (601)	367 (97,0)	AF - CS
			CR - CM - CS JANUS PRO
			CW
1400 (55)	311 (685)	436 (115,2)	AF - CS
			CR - CM - CS JANUS PRO
			CW
1600 (63)	351 (774)	504 (133,1)	AF - CS
			CR - CM - CS JANUS PRO
			CW
1800 (71)	389 (858)	573 (151,4)	AF - CS
			CR - CM - CS JANUS PRO
			CW
2000 (79)	427 (942)	641 (169,3)	AF - CS
			CR - CM - CS JANUS PRO
			CW

OPTIONAL

4

5

BEZEL

REAR RAZOR

SPR65

HD EXCAVATOR MACHINE WEIGHT 12,0 - 18,0 t (26455- 39683 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS PRO

KG 93 (LB 205)

M'LOCK100

KG 66 (LB 145)


CW20

KG 57 (LB 126)

650 MM

900 MM

L



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
1400 (55)	394 (869)	631 (166,7)	AF - CM
			CS - CW
			CS JANUS PRO
1500 (59)	4420 (926)	665 (175,7)	AF - CM
			CS - CW
			CS JANUS PRO
1600 (63)	445 (981)	699 (184,7)	AF - CM
			CS - CW
			CS JANUS PRO
1800 (71)	496 (1093)	767 (202,6)	AF - CM
			CS - CW
			CS JANUS PRO
2000 (79)	546 (1204)	835 (220,6)	AF - CM
			CS - CW
			CS JANUS PRO

OPTIONAL

4

5

BEZEL

REAR RAZOR

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SPR70 HD

MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)


ADAPTERS

CS100
KG 45 (LB 99)

CS100 JANUS PRO
KG 93 (LB 205)

M'LOCK100
KG 66 (LB 145)

CW30
KG 66 (LB 145)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
1500 (59)	512 (1130)	780 (206,1)	AF - CM
			CS - CW
			CS JANUS PRO
1600 (63)	543 (1197)	820 (216,6)	AF - CM
			CS - CW
			CS JANUS PRO
1800 (71)	604 (1331)	900 (237,8)	AF - CM
			CS - CW
			CS JANUS PRO
2000 (79)	662 (1460)	980 (258,9)	AF - CM
			CS - CW
			CS JANUS PRO
2200 (87)	719 (1586)	1060 (280,0)	AF - CM
			CS - CW
			CS JANUS PRO

OPTIONAL

4	5
BEZEL	REAR RAZOR



* weight of the tank excluding attachment