






THE GRIPPING BUCKET OFFERS THE PERFORMANCE OF A LOADING BUCKET, ALONG WITH A BITING CLAW THAT IS CAPABLE OF GUARANTEEING EXCELLENT GRIP ON THE MATERIAL, THANKS TO THE NON-SLIP TEETH. IT IS IDEAL FOR HANDLING VARIOUS TYPES OF MATERIALS AND IS THEREFORE USED IN NUMEROUS WORK ENVIRONMENTS; WHETHER IT BE CONSTRUCTION, INDUSTRIAL, RECYCLING OR COMPOSTING. SAFETY IS GUARANTEED BY THE BLOCKING VALVE ON THE CYLINDER, WHICH MAINTAINS THE GRIP ON THE LOAD EVEN IN THE EVENT OF A LOSS OF SYSTEM PRESSURE.



MOD.	ML 90-PR	ML 105-PR
A MM (IN)	924 (36)	1065 (41)
B MM (IN)	553 (21)	553 (21)
C MM (IN)	681 (26)	681 (26)
D MM (IN)	517 (20)	517 (20)
E MM (IN)	653 (25)	653 (25)
W/O COUPLER KG (LB)	120 (4)	130 (5)
SAE CAP. L (GAL)	265 (70)	290 (76,6)
MAX BAR	250	250

STANDARD TECHNICAL FEATURES

1 SAFETY CHECK-VALVE

IT ALLOWS TO KEEP THE TOOL SAFE EVEN IN CASE OF DAMAGE OF THE PIPES OR PRESSURE LOSS IN THE SYSTEM.

2 SIDE TOOTHING

ITS PROFILE ALLOWS IT TO MAINTAIN AN EFFECTIVE GRIP ON THE MATERIAL.

3 VALVE AND CYLINDER GUARD

PROTECTION AGAINST IMPACTS ON HYDRAULIC COMPONENTS THANKS TO THE SPECIAL CASING.

4 HYDRAULIC HOSES WITH QUICK COUPLINGS

EQUIPMENT COMPLETE WITH PIPING (L 1000 MM) AND QUICK COUPLINGS 1/2" FLAT FACE.

NB : THE EQUIPMENT IS SUPPLIED COMPLETE WITH PIPES AND STANDARD CONNECTIONS