


ITS ELONGATED PROFILE AVOIDS THAT THE GROUND STICKS TO THE BUCKET'S SIDE WALLS AND SIMPLIFIES THE DISCHARGE OF LOAMY AND WET MATERIALS. ITS HOLLOW SIDE WALLS HELP THE CROSSING OF GAS AND HYDRAULIC PIPES OR PLANTS, ETC. THE BLADE, THE SIDE CAST CUTTERS AND SIDE REINFORCEMENTS AND THE REAR STRIPS ARE MADE OF HB400.



STANDARD TECHNICAL FEATURES

- 1

ELONGATED PROFILE
- 2

HB400 REINFORCING STRIPS

THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.
- 3

HB400 CUTTING EDGE
- 4


HB400 SIDE CAST CUTTERS AND SIDE REINFORCEMENTS

THESE HB400 CAST CUTTERS ARE POSITIONED ON THE SURFACES MOSTLY SUBJECT TO WEAR GRANTING A HIGHER RESISTANCE.
- 5

DC TEETH DTE TEETH



MOD.	BS 35HD	BS 40HD	BS 48HD	BS 60HD	BS 67HD	BS 71HD	BS 75HD	BS 80HD	MIDI		EXCAVATOR	
									BS 85HD	BS 92HD	BS 100HD	BS 110HD
TONS (LB)	0,8 - 1,5 (1764 - 3307)	1,5 - 2,0 (3307 - 4409)	2,0 - 3,0 (4409 - 6614)	3,0 - 4,0 (6614 - 8818)	4,0 - 6,0 (8818 - 13228)	6,0 - 7,5 (13228 - 16535)	7,5 - 9,0 (16535 - 19842)	9,0 - 12,0 (19842 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)

BS35 HD MACHINE WEIGHT 0,8 - 1,5 (1764 - 3307 lb)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	22 (49)	24 (6,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
300 (12)	24 (53)	29 (7,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
350 (14)	27 (60)	35 (9,2)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
400 (16)	31 (68)	41 (10,1)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS

BS40 HD MACHINE WEIGHT 1,5 - 2,0 (3307 - 4409 lb)




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	25 (55)	24 (6,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
300 (12)	27 (60)	30 (7,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
350 (14)	30 (66)	37 (9,7)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
400 (16)	34 (75)	44 (11,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS

BS48 HD MACHINE WEIGHT 2,0 - 3,0 (4409 - 6614 lb)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	37 (81)	36 (9,5)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
300 (12)	42 (92)	45 (,)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
350 (14)	47 (103)	54 (11,8)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
400 (16)	53 (116)	63 (16,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
500 (20)	64 (141)	83 (21,9)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS

BS60 HD MACHINE WEIGHT 3,0 - 4,0 (6614 - 8818 lb)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
250 (10)	48 (105)	54 (14,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
300 (12)	53 (116)	66 (17,4)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
350 (14)	60 (132)	79 (20,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
400 (16)	66 (145)	93 (24,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
500 (20)	78 (172)	121 (31,9)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS

* weight of the tank excluding attachment

* weight of the tank excluding attachment

BS67 HD

MACHINE WEIGHT 4,0 - 6,0 (8818 - 13228 lb)

ADAPTERS

AR50

KG 17 (LB 37)

CS30

KG 18 (LB 39)

CS30 JANUS

KG 19 (LB 41)

CS80

KG 44 (LB 97)

CR50

KG 22 (LB 48)

M'LOCK100


KG 35 (LB 77)

S40-200

KG 15 (LB 33)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
300 (12)	70 (154)	78 (20,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
350 (14)	80 (176)	95 (25,1)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
400 (16)	90 (198)	111 (29,3)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
500 (20)	109 (240)	146 (38,5)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS

BS71 HD

MACHINE WEIGHT 6,0 - 7,5 (13228 - 16535 lb)

ADAPTERS

AR70

KG 24 (LB 52)

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

S45


KG 28 (LB 51)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
350 (14)	101 (223)	112 (29,6)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
400 (16)	111 (245)	132 (34,9)	3	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
500 (20)	133 (293)	172 (45,4)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS
600 (24)	152 (335)	215 (56,7)	4	AF - AR - CS
				CR - S - CM
				CW - CS JANUS

BS75 HD

MACHINE WEIGHT 7,5 - 9,0 (16535 - 1982 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

S45


KG 28 (LB 61)

S50

KG 29 (LB 63)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
350 (14)	106 (234)	117 (30,9)	3	AF - CS
				CR - S - CM
				CW - CS JANUS
400 (16)	118 (260)	138 (36,5)	3	AF - CS
				CR - S - CM
				CW - CS JANUS
500 (20)	138 (304)	181 (47,8)	4	AF - CS
				CR - S - CM
				CW - CS JANUS
600 (24)	160 (353)	226 (59,7)	4	AF - CS
				CR - S - CM
				CW - CS JANUS

BS80 HD

MACHINE WEIGHT 9,0 - 12,0 (1982 - 26455 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

S45


KG 66 (LB 145)

S50

KG 28 (LB 61)

CW10

KG 29 (LB 63)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	130 (286)	161 (42,5)	3	AF - CS
				CR - S - CM
				CW - CS JANUS
500 (20)	157 (346)	210 (55,4)	3	AF - CS
				CR - S - CM
				CW - CS JANUS
600 (24)	186 (410)	261 (68,9)	4	AF - CS
				CR - S - CM
				CW - CS JANUS

* weight of the tank excluding attachment

* weight of the tank excluding attachment

BS85 HD **MIDI**

MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS


CS100
KG 45 (LB 99)

CS100 JANUS
KG 93 (LB 205)

M'LOCK100
KG 66 (LB 145)

S60
KG 57 (LB 125)

CW20
KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	164 (361)	184 (48,6)	3	AF - S - CM
				CS - CW
				CS JANUS
500 (20)	192 (423)	242 (63,9)	3	AF - S - CM
				CS - CW
				CS JANUS
600 (24)	220 (485)	301 (79,5)	4	AF - S - CM
				CS - CW
				CS JANUS

BS92 HD **EXCAVATOR**

MACHINE WEIGHT 12,0 - 14,0 (26455 - 30865 lb)

ADAPTERS


CS100
KG 45 (LB 99)

CS100 JANUS
KG 93 (LB 205)

M'LOCK100
KG 66 (LB 145)

S60
KG 57 (LB 125)

CW20
KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	188 (414)	206 (54,4)	3	AF - S - CM
				CS - CW
				CS JANUS
500 (20)	225 (496)	270 (71,3)	3	AF - S - CM
				CS - CW
				CS JANUS
600 (24)	256 (564)	337 (89,0)	4	AF - S - CM
				CS - CW
				CS JANUS

BS100 HD

MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS


CS100
KG 45 (LB 99)

CS100 JANUS
KG 93 (LB 205)

M'LOCK100
KG 66 (LB 145)

S60
KG 57 (LB 125)

CW20
KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	259 (571)	245 (64,7)	3	AF - S - CM
				CS - CW
				CS JANUS
500 (20)	301 (664)	320 (84,5)	3	AF - S - CM
				CS - CW
				CS JANUS
600 (24)	343 (756)	398 (105,1)	3	AF - S - CM
				CS - CW
				CS JANUS

BS110 HD

MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS


CS100
KG 45 (LB 99)

CS100 JANUS
KG 93 (LB 205)

M'LOCK100
KG 66 (LB 145)

S60
KG 57 (LB 125)

CW30
KG 66 (LB 145)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
400 (16)	335 (739)	283 (74,8)	3	AF - S - CM
				CS - CW
				CS JANUS
500 (20)	385 (761)	372 (98,3)	3	AF - S - CM
				CS - CW
				CS JANUS
600 (24)	435 (860)	464 (122,6)	3	AF - S - CM
				CS - CW
				CS JANUS

* weight of the tank excluding attachment

* weight of the tank excluding attachment