



AF



AR



CS



CR



CS JANUS



M'LOCK




CW

ADAPTERS



ITS SHAPE HAS BEEN CONCEIVED TO HELP THE TOOL TO PENETRATE MEDIUM-CONSISTENCY SOILS.

MOD.	SC27	SC36	SC38	SC45	SC53	SC62	SC67	SC73	SC80	MIDI		EXCAVATOR	
										SC85	SC92 GD	SC100GD	SC110GD
TONS (LB)	0,6 - 1,2 (1323 - 2646)	1,2 - 1,8 (2646 - 3968)	1,2 - 1,8 (2646 - 3968)	1,8 - 2,5 (3968 - 5512)	2,5 - 4,0 (5512 - 8818)	4,0 - 5,0 (8818 - 11023)	5,0 - 7,5 (11023 - 16535)	7,5 - 10,0 (16535 - 22046)	10,0 - 12,0 (22046 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)



STANDARD TECHNICAL FEATURES

1 REINFORCING STRIPS

THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.

2 DF TEETH DC TEETH DTE TEETH

OPTIONAL

3 GRADING EDGE

IS REALISED BY WELDING THE REMOVABLE PART OF THE PICK DIRECTLY ONTO THE BLADE. THIS CONFIGURATION FACILITATES INSTALLATION AND REMOVAL OPERATIONS AS WELL AS GIVING THE SYSTEM HIGH STRENGTH. IN CASE OF A REPLACEMENT ORDER THE BLADE WILL BE SUPPLIED LOOSE TO BE ASSEMBLED ON THE BUCKET.

4 HB500 WELDED ADDITIONAL CUTTING EDGE (NO TEETH)

RECOMMENDED TO WORK ON PARTICULARLY ABRASIVE SOILS.


SC27 MACHINE WEIGHT 0,6 - 1,2 t (1323 - 2646 lb)

ADAPTERS

M'LOCK30
KG 10 (LB 22)

CW00
KG 5 (LB 11)

CW05
KG 9 (LB 19)



OPTIONAL

- 3 SUPPLEMENTARY BLADE
- 4 HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
200 (8)	11 (24)	10 (2,6)	2	AF
				S - CM
				CW
250 (10)	13 (29)	14 (3,7)	DF2 DC3 DE3	AF
				S - CM
				CW
300 (12)	15 (33)	18 (4,8)	3	AF
				S - CM
				CW
350 (14)	17 (37)	21 (5,5)	3	AF
				S - CM
				CW
400 (16)	18 (40)	25 (6,6)	3	AF
				S - CM
				CW
450 (18)	20 (44)	30 (7,9)	3	AF
				S - CM
				CW
500 (20)	22 (49)	34 (9,0)	4	AF
				S - CM
				CW
600 (24)	26 (57)	42 (11,1)	4	AF
				S - CM
				CW
700 (28)	30 (66)	50 (13,2)	5	AF
				S - CM
				CW

* weight of the tank excluding attachment

SC27 QUICK COUPLER MACHINE WEIGHT 0,6 - 1,2 t (1323 - 2646 lb)


ADAPTERS

AR15
KG 7 (LB 15)

CS10
KG 10 (LB 22)

CS10 JANUS
KG 10 (LB 22)

CR15
KG 10 (LB 22)



OPTIONAL

- 3 SUPPLEMENTARY BLADE
- 4 HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
200 (8)	11 (24)	10 (2,6)	2	AR - CS
				CR
				CS JANUS
250 (10)	13 (29)	14 (3,7)	DF2 DC3 DE3	AR - CS
				CR
				CS JANUS
300 (12)	15 (33)	18 (4,8)	3	AR - CS
				CR
				CS JANUS
350 (14)	17 (37)	21 (5,5)	3	AR - CS
				CR
				CS JANUS
400 (16)	18 (40)	25 (6,6)	3	AR - CS
				CR
				CS JANUS
450 (18)	20 (44)	30 (7,9)	3	AR - CS
				CR
				CS JANUS
500 (20)	22 (49)	34 (9,0)	4	AR - CS
				CR
				CS JANUS
600 (24)	26 (57)	42 (11,1)	4	AR - CS
				CR
				CS JANUS
700 (28)	30 (66)	50 (13,2)	5	AR - CS
				CR
				CS JANUS

* weight of the tank excluding attachment

SC36 MACHINE WEIGHT 1,2 - 1,8 t (2646 - 3968 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10


KG 10 (LB 22)

CS10 JANUS

KG 10 (LB 22)

CR15

KG 10 (LB 22)



OPTIONAL

- 3 SUPPLEMENTARY BLADE
- 4 HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
200 (8)	15 (33)	12 (3,2)	2	AR - CS
				CR
				CS JANUS
250 (10)	17 (37)	16 (4,2)	DF2 DC3 DE3	AR - CS
				CR
				CS JANUS
300 (12)	19 (42)	20 (5,3)	3	AR - CS
				CR
				CS JANUS
350 (14)	21 (46)	25 (6,6)	3	AR - CS
				CR
				CS JANUS
400 (16)	24 (53)	31 (8,2)	3	AR - CS
				CR
				CS JANUS
450 (18)	27 (60)	38 (10,0)	3	AR - CS
				CR
				CS JANUS
500 (20)	30 (66)	43 (11,3)	4	AR - CS
				CR
				CS JANUS
600 (24)	34 (75)	55 (14,5)	4	AR - CS
				CR
				CS JANUS
700 (28)	39 (86)	65 (17,1)	5	AR - CS
				CR
				CS JANUS

* weight of the tank excluding attachment

SC38 MACHINE WEIGHT 1,2 - 1,8 t (2646 - 3968 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS

KG 10 (LB 22)

CR15


KG 10 (LB 22)

M'LOCK30

KG 10 (LB 22)

CW05

KG 9 (LB 19)



OPTIONAL


- 3 SUPPLEMENTARY BLADE
- 4 HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
200 (8)	15 (33)	15 (4,0)	2	AF - AR - CS
				CR - CM
				CW - CS JANUS
250 (10)	17 (37)	20 (5,3)	DF2 DC3 DE3	AF - AR - CS
				CR - CM
				CW - CS JANUS
300 (12)	19 (42)	25 (6,6)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
350 (14)	21 (46)	31 (8,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
400 (16)	24 (53)	37 (9,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
450 (18)	27 (60)	43 (11,4)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
500 (20)	30 (66)	49 (12,4)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
600 (24)	34 (75)	61 (16,1)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
700 (28)	39 (86)	74 (19,5)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS

* weight of the tank excluding attachment

SC45 MACHINE WEIGHT 1,8 - 2,5 t (3968 - 5512 lb)

ADAPTERS	AR30	CS10	CS30	CS10 JANUS	CS30 JANUS PRO	CR30	M'LOCK30	CW05
	KG 10 (LB 22)	KG 10 (LB 22)	KG 18 (LB 39)	KG 10 (LB 22)	KG 19 (LB 41)	KG 13 (LB 28)	KG 12 (LB 26)	KG 9 (LB 19)



OPTIONAL


3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	23 (51)	25 (6,6)	DF2 DC3 DE3	AF - AR - CS CR - CM CW - CS JANUS
300 (12)	26 (57)	33 (8,7)	3	AF - AR - CS CR - CM CW - CS JANUS
350 (14)	29 (64)	40 (10,6)	3	AF - AR - CS CR - CM CW - CS JANUS
400 (16)	32 (71)	48 (12,7)	3	AF - AR - CS CR - CM CW - CS JANUS
450 (18)	35 (77)	56 (14,8)	3	AF - AR - CS CR - CM CW - CS JANUS
500 (20)	38 (84)	65 (17,2)	4	AF - AR - CS CR - CM CW - CS JANUS
600 (24)	44 (97)	82 (21,7)	4	AF - AR - CS CR - CM CW - CS JANUS
700 (28)	50 (110)	100 (26,4)	5	AF - AR - CS CR - CM CW - CS JANUS
800 (31)	58 (128)	117 (30,9)	5	AF - AR - CS CR - CM CW - CS JANUS

* weight of the tank excluding attachment

SC53 MACHINE WEIGHT 2,5 - 4,0 t (5512 - 8818 lb)

ADAPTERS	AR40	CS30	CS30 JANUS	CR40	M'LOCK30	CW05
	KG 11 (LB 24)	KG 18 (LB 39)	KG 19 (LB 41)	KG 14 (LB 30)	KG 12 (LB 26)	KG 9 (LB 19)



OPTIONAL


3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	32 (71)	32 (8,5)	2	AF - AR - CS CR - CM CW - CS JANUS
300 (12)	35 (77)	41 (10,8)	3	AF - AR - CS CR - CM CW - CS JANUS
350 (14)	40 (88)	51 (13,5)	3	AF - AR - CS CR - CM CW - CS JANUS
400 (16)	44 (97)	61 (16,1)	3	AF - AR - CS CR - CM CW - CS JANUS
450 (18)	48 (106)	72 (19,0)	3	AF - AR - CS CR - CM CW - CS JANUS
500 (20)	51 (112)	82 (21,7)	4	AF - AR - CS CR - CM CW - CS JANUS
600 (24)	59 (130)	105 (27,7)	4	AF - AR - CS CR - CM CW - CS JANUS
700 (28)	67 (148)	127 (33,5)	5	AF - AR - CS CR - CM CW - CS JANUS
800 (31)	75 (165)	152 (40,2)	5	AF - AR - CS CR - CM CW - CS JANUS
900 (35)	83 (183)	175 (46,2)	5	AF - AR - CS CR - CM CW - CS JANUS

* weight of the tank excluding attachment

SC62 MACHINE WEIGHT 4,0 - 5,0 t (8818 - 11023 lb)

ADAPTERS	AR50	CS30	CS30 JANUS	CR50	M'LOCK100	CW10
						
	KG 17 (LB 37)	KG 18 (LB 39)	KG 19 (LB 41)	KG 22 (LB 48)	KG 35 (LB 77)	KG 23 (LB 50)



OPTIONAL


3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	48 (106)	45 (11,9)	2	AF - AR - CS
				CR - CM
				CW - CS JANUS
300 (12)	53 (117)	58 (15,3)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
350 (14)	58 (128)	71 (18,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
400 (16)	63 (139)	85 (22,5)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
450 (18)	68 (150)	100 (26,4)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
500 (20)	73 (161)	115 (30,4)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
600 (24)	84 (185)	147 (38,8)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
700 (28)	95 (209)	180 (47,6)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
800 (31)	106 (234)	213 (56,3)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
900 (35)	117 (258)	248 (65,5)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS
1000 (39)	128 (282)	282 (74,5)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS

* weight of the tank excluding attachment

SC67 MACHINE WEIGHT 5,0 - 7,5 t (11023 - 16535 lb)

ADAPTERS	AR50	AR70	CS80	CS80 JANUS	CR50	CR70	M'LOCK100	CW10
								
	KG 17 (LB 37)	KG 24 (LB 52)	KG 44 (LB 97)	KG 46 (LB 101)	KG 22 (LB 48)	KG 34 (LB 75)	KG 35 (LB 77)	KG 23 (LB 50)



OPTIONAL

3	4
SUPPLEMENTARY BLADE	HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	70 (154)	68 (18,0)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
350 (14)	78 (172)	84 (22,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
400 (16)	85 (187)	101 (26,7)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
450 (18)	92 (203)	118 (31,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
500 (20)	99 (218)	137 (36,2)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
600 (24)	114 (251)	174 (46,0)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
700 (28)	128 (282)	214 (56,5)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
800 (31)	142 (313)	254 (67,1)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
900 (35)	156 (344)	295 (77,9)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS
1000 (39)	170 (375)	338 (89,3)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS

* weight of the tank excluding attachment

SC73

MACHINE WEIGHT 7,5 - 10,0 t (116535 - 22046 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70


KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	82 (181)	76 (20,1)	2	AF - CS
				CR - CM
				CW - CS JANUS
350 (14)	89 (196)	94 (24,8)	3	AF - CS
				CR - CM
				CW - CS JANUS
400 (16)	94 (207)	113 (29,9)	3	AF - CS
				CR - CM
				CW - CS JANUS
450 (18)	103 (227)	133 (35,1)	3	AF - CS
				CR - CM
				CW - CS JANUS
500 (20)	111 (245)	153 (40,4)	3	AF - CS
				CR - CM
				CW - CS JANUS
600 (24)	127 (280)	196 (51,8)	4	AF - CS
				CR - CM
				CW - CS JANUS
700 (28)	143 (315)	240 (63,4)	4	AF - CS
				CR - CM
				CW - CS JANUS
800 (31)	159 (351)	286 (75,6)	5	AF - CS
				CR - CM
				CW - CS JANUS
900 (35)	175 (386)	333 (88,0)	5	AF - CS
				CR - CM
				CW - CS JANUS
1000 (39)	191 (421)	379 (100,1)	5	AF - CS
				CR - CM
				CW - CS JANUS
1100 (43)	207 (456)	430 (113,6)	5	AF - CS
				CR - CM
				CW - CS JANUS

OPTIONAL

3

SUPPLEMENTARY
BLADE

4

HB500 WELDED ADDITIONAL
CUTTING EDGE

SC80

MACHINE WEIGHT 10,0 - 12,0 t (22046 - 26455 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70


KG 34 (LB 75)

M'LOCK100

KG 66 (LB 145)

CW20

KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	102 (225)	86 (22,7)	2	AF - CS
				CR - CM - CS JANUS
				CW
350 (14)	110 (243)	107 (28,3)	3	AF - CS
				CR - CM - CS JANUS
				CW
400 (16)	121 (267)	129 (34,1)	3	AF - CS
				CR - CM - CS JANUS
				CW
450 (18)	130 (287)	151 (39,9)	3	AF - CS
				CR - CM - CS JANUS
				CW
500 (20)	139 (306)	174 (46,0)	3	AF - CS
				CR - CM - CS JANUS
				CW
600 (24)	157 (346)	222 (58,6)	4	AF - CS
				CR - CM - CS JANUS
				CW
700 (28)	175 (386)	273 (72,1)	4	AF - CS
				CR - CM - CS JANUS
				CW
800 (31)	191 (421)	325 (85,9)	5	AF - CS
				CR - CM - CS JANUS
				CW
900 (35)	209 (461)	379 (100,1)	5	AF - CS
				CR - CM - CS JANUS
				CW
1000 (39)	226 (498)	433 (114,4)	5	AF - CS
				CR - CM - CS JANUS
				CW
1100 (43)	244 (538)	486 (128,4)	5	AF - CS
				CR - CM - CS JANUS
				CW
1200 (47)	262 (578)	546 (144,2)	6	AF - CS
				CR - CM - CS JANUS
				CW
1300 (51)	280 (617)	602 (159,0)	6	AF - CS
				CR - CM - CS JANUS
				CW

OPTIONAL

3

SUPPLEMENTARY
BLADE

4

HB500 WELDED ADDITIONAL
CUTTING EDGE


* weight of the tank excluding attachment

* weight of the tank excluding attachment

SC85 MIDI

MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS	CS100 KG 45 (LB 99)	CS100 JANUS KG 93 (LB 205)	M'LOCK100 KG 66 (LB 145)	CW20 KG 57 (LB 126)
----------	------------------------	-------------------------------	-----------------------------	------------------------




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
400 (16)	170 (375)	171 (45,2)	3	AF - CM
				CS - CW
				CS JANUS
500 (20)	190 (419)	235 (62,1)	3	AF - CM
				CS - CW
				CS JANUS
600 (24)	210 (463)	300 (79,3)	4	AF - CM
				CS - CW
				CS JANUS
700 (28)	230 (507)	368 (97,2)	4	AF - CM
				CS - CW
				CS JANUS
800 (31)	250 (551)	438 (115,7)	5	AF - CM
				CS - CW
				CS JANUS
900 (35)	270 (595)	510 (134,7)	5	AF - CM
				CS - CW
				CS JANUS
1000 (39)	291 (642)	584 (154,3)	5	AF - CM
				CS - CW
				CS JANUS
1100 (43)	312 (688)	657 (173,6)	5	AF - CM
				CS - CW
				CS JANUS
1200 (47)	333 (734)	730 (192,8)	6	AF - CM
				CS - CW
				CS JANUS
1300 (51)	354 (780)	810 (214,0)	6	AF - CM
				CS - CW
				CS JANUS

* weight of the tank excluding attachment

SC92 GD EXCAVATOR

MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS	CS100 KG 45 (LB 99)	CS100 JANUS KG 93 (LB 205)	M'LOCK100 KG 66 (LB 145)	CW20 KG 54 (LB 126)
----------	------------------------	-------------------------------	-----------------------------	------------------------




L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
400 (16)	185 (407)	250 (66)	3	AF - CM
				CS - CW
				CS JANUS
500 (20)	213 (469)	315 (83)	3	AF - CM
				CS - CW
				CS JANUS
600 (24)	228 (503)	380 (100,4)	4	AF - CM
				CS - CW
				CS JANUS
700 (28)	251 (553)	450 (118,9)	4	AF - CM
				CS - CW
				CS JANUS
800 (31)	281 (619)	560 (147,9)	5	AF - CM
				CS - CW
				CS JANUS
900 (35)	309 (681)	620 (163,8)	5	AF - CM
				CS - CW
				CS JANUS
1000 (39)	350 (772)	700 (184,9)	5	AF - CM
				CS - CW
				CS JANUS
1200 (47)	403 (888)	900 (237,7)	6	AF - CM
				CS - CW
				CS JANUS

* weight of the tank excluding attachment

SC100 GD MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS



KG 93 (LB 205)

M'LOCK100




KG 66 (LB 145)

CW30



KG 66 (LB 145)



OPTIONAL

3

SUPPLEMENTARY BLADE

4

HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
400 (16)	250 (511)	300 (79)	3	AF - CM
				CS - CW
				CS JANUS
500 (20)	287 (632)	370 (98)	3	AF - CM
				CS - CW
				CS JANUS
600 (24)	316 (697)	450 (118,9)	3	AF - CM
				CS - CW
				CS JANUS
700 (28)	355 (783)	535 (141,3)	4	AF - CM
				CS - CW
				CS JANUS
800 (31)	394 (869)	620 (163,7)	4	AF - CM
				CS - CW
				CS JANUS
900 (35)	433 (955)	710 (187,5)	4	AF - CM
				CS - CW
				CS JANUS
1000 (39)	472 (1041)	800 (211,3)	5	AF - CM
				CS - CW
				CS JANUS
1200 (47)	550 (1213)	980 (258,8)	5	AF - CM
				CS - CW
				CS JANUS

* weight of the tank excluding attachment

SC110 GD MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS



KG 93 (LB 205)

M'LOCK100




KG 66 (LB 145)

CW30



KG 57 (LB 126)



OPTIONAL

3

SUPPLEMENTARY BLADE

4

HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	412 (908)	480 (126,8)	3	AF - CM
				CS - CW
				CS JANUS
800 (31)	502 (1107)	690 (182,3)	4	AF - CM
				CS - CW
				CS JANUS
1000 (39)	592 (1305)	900 (237,7)	5	AF - CM
				CS - CW
				CS JANUS
1200 (47)	682 (1504)	1110 (293,2)	5	AF - CM
				CS - CW
				CS JANUS
1300 (52)	727 (1603)	1220 (322,2)	6	AF - CM
				CS - CW
				CS JANUS
1400 (55)	772 (1702)	1330 (351,3)	6	AF - CM
				CS - CW
				CS JANUS

* weight of the tank excluding attachment