




HB400



ITS PROFILE HAS BEEN DESIGNED TO HELP THE TOOL TO PENETRATE MOSTLY ROCKY GROUNDS. SUPPLIED WITH HB400 SIDE REINFORCEMENTS, STRIPS, CUTTERS AND BLADE GUARDS TO GUARANTEE HIGH RESISTANCE TO WEAR.

MOD.	SCR36	SCR38	SCR45	SCR53	SCR62	SCR67	SCR73	SCR80	MIDI		EXCAVATOR	
									SCR85	SCR92 HD	SCR100 HD	SCR110 HD
TONS (LB)	1,2 - 1,8 (2646 - 3968)	1,2 - 1,8 (2646 - 3968)	1,8 - 2,5 (3968 - 5512)	2,5 - 4,0 (5512 - 8818)	4,0 - 5,0 (8818 - 11023)	5,0 - 7,5 (11023 - 16535)	7,5 - 10,0 (16535 - 22046)	10,0 - 12,0 (22046 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)



STANDARD TECHNICAL FEATURES

- 1

REINFORCING STRIPS HB400
THE HORIZONTAL REINFORCING STRIPS ON THE BUCKET'S REAR AND BOTTOM PROTECT THE BUCKET FROM WEAR AND INCREASE ITS RESISTANCE.
- 2

DC TEETH DTE TEETH
- 3

HB400 SIDE CAST CUTTERS AND REINFORCEMENTS
THESE HB400 CAST CUTTERS ARE POSITIONED ON THE SURFACES MOSTLY SUBJECT TO WEAR GRANTING A HIGHER RESISTANCE.
- 4

REINFORCED CUTTING EDGE
UP TO 10 TONS: HB400 CAST SHROUDS MOUNTED ON PARTS SUBJECT TO WEAR.
BEYOND 10 TONS: HB400 CUTTING EDGE.

OPTIONAL

- 5

GRADING EDGE
INSTALLED DIRECTLY ON THE ADAPTERS OF THE WELDED TEETH. THIS PATTERN MAKES THE INSTALLING/UNINSTALLING OPERATIONS EASIER AND GRANTS A HIGH RESISTANCE TO THE BUCKET. IN CASE OF ORDER AS A SPARE PART, THE BLADE WILL BE SUPPLIED UNASSEMBLED.

SCR36 MACHINE WEIGHT 1,2 - 1,8 t (2646 - 3968 lb)


ADAPTERS

AR15
KG 7 (LB 15)

CS10
KG 10 (LB 22)

CS10 JANUS
KG 10 (LB 22)

CR15
KG 10 (LB 22)



OPTIONAL

SUPPLEMENTARY BLADE 5

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
200 (8)	17 (38)	15 (4,0)	2	AR - CS
				CR
				CS JANUS
250 (10)	19 (43)	20 (5,3)	DF2 DC3 DE3	AR - CS
				CR
				CS JANUS
300 (12)	22 (48)	25 (6,6)	3	AR - CS
				CR
				CS JANUS
350 (14)	24 (52)	31 (8,2)	3	AR - CS
				CR
				CS JANUS
400 (16)	28 (61)	37 (9,8)	3	AR - CS
				CR
				CS JANUS
450 (18)	31 (68)	43 (11,4)	3	AR - CS
				CR
				CS JANUS
500 (20)	35 (76)	49 (12,4)	4	AR - CS
				CR
				CS JANUS
600 (24)	39 (86)	61 (16,1)	4	AR - CS
				CR
				CS JANUS
700 (28)	44 (98)	74 (19,5)	5	AR - CS
				CR
				CS JANUS

* weight of the tank excluding attachment

SCR38 MACHINE WEIGHT 1,2 - 1,8 t (2646 - 3968 lb)

ADAPTERS

AR15
KG 7 (LB 15)


CS10
KG 10 (LB 22)

CS10 JANUS
KG 10 (LB 22)

CR15
KG 10 (LB 22)

M'LOCK30
KG 10 (LB 22)

CW05
KG 9 (LB 19)



OPTIONAL

SUPPLEMENTARY BLADE 5

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
200 (8)	17 (38)	15 (4,0)	2	AF - AR - CS
				CR - CM
				CW - CS JANUS
250 (10)	19 (43)	20 (5,3)	DF2 DC3 DE3	AF - AR - CS
				CR - CM
				CW - CS JANUS
300 (12)	22 (48)	25 (6,6)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
350 (14)	24 (52)	31 (8,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
400 (16)	28 (61)	37 (9,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
450 (18)	31 (68)	43 (11,4)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
500 (20)	35 (76)	49 (12,4)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
600 (24)	39 (86)	61 (16,1)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
700 (28)	44 (98)	74 (19,5)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS

* weight of the tank excluding attachment

SCR45

MACHINE WEIGHT 1,8 - 2,5 t (3968 - 5512 lb)

ADAPTERS

AR30

KG 10 (LB 22)

CS10

KG 10 (LB 22)

CS30

KG 18 (LB 39)

CS10 JANUS

KG 10 (LB 22)

CS30 JANUS

KG 19 (LB 41)

CR30


KG 13 (LB 28)

M'LOCK30

KG 12 (LB 26)

CW05

KG 9 (LB 19)



OPTIONAL

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	26 (57)	25 (6,6)	DF2 DC3 DE3	AF - AR - CS
				CR - CM
				CW - CS JANUS
300 (12)	29 (64)	33 (8,7)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
350 (14)	32 (80)	40 (10,6)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
400 (16)	36 (80)	48 (12,7)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
450 (18)	39 (87)	56 (14,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
500 (20)	43 (95)	65 (17,2)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
600 (24)	50 (109)	82 (21,7)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
700 (28)	56 (123)	100 (26,4)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
800 (31)	65 (142)	117 (30,9)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS

SCR53

MACHINE WEIGHT 2,5 - 4,0 t (5512 - 8818 lb)

ADAPTERS

AR40

KG 11 (LB 24)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR40


KG 14 (LB 30)

M'LOCK30

KG 12 (LB 26)

CW05

KG 9 (LB 19)



OPTIONAL

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	37 (82)	32 (8,5)	2	AF - AR - CS
				CR - CM
				CW - CS JANUS
300 (12)	40 (89)	41 (10,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
350 (14)	46 (101)	51 (13,5)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
400 (16)	51 (111)	61 (16,1)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
450 (18)	55 (121)	72 (19,0)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
500 (20)	59 (129)	82 (21,7)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
600 (24)	67 (148)	105 (27,7)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
700 (28)	76 (167)	127 (33,5)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
800 (31)	85 (187)	152 (40,2)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
900 (35)	93 (206)	175 (46,2)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCR62

MACHINE WEIGHT 4,0 - 5,0 t (8818 - 11023 lb)

ADAPTERS

AR50

KG 17 (LB 37)

CS30

KG 18 (LB 39)

CS30 JANUS

KG 19 (LB 41)

CR50


KG 22 (LB 48)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)



OPTIONAL

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
250 (10)	57 (126)	45 (11,9)	2	AF - AR - CS
				CR - CM
				CW - CS JANUS
300 (12)	63 (138)	58 (15,3)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
350 (14)	68 (150)	71 (18,8)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
400 (16)	74 (163)	85 (22,5)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
450 (18)	79 (175)	100 (26,4)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
500 (20)	86 (188)	115 (30,4)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
600 (24)	97 (215)	147 (38,8)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
700 (28)	109 (241)	180 (47,6)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
800 (31)	121 (267)	213 (56,3)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
900 (35)	133 (293)	248 (65,5)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS
1000 (39)	145 (319)	282 (74,5)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS

SCR67

MACHINE WEIGHT 5,0 - 7,5 t (11023 - 16535 lb)

ADAPTERS

AR50

KG 17 (LB 37)

AR70

KG 24 (LB 52)

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR50

KG 22 (LB 48)

CR70


KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)



OPTIONAL

L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	83 (182)	68 (18,0)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
350 (14)	92 (202)	84 (22,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
400 (16)	101 (222)	101 (26,7)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
450 (18)	109 (240)	118 (31,2)	3	AF - AR - CS
				CR - CM
				CW - CS JANUS
500 (20)	117 (258)	137 (36,2)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
600 (24)	134 (296)	174 (46,0)	4	AF - AR - CS
				CR - CM
				CW - CS JANUS
700 (28)	150 (331)	214 (56,5)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
800 (31)	167 (368)	254 (67,1)	5	AF - AR - CS
				CR - CM
				CW - CS JANUS
900 (35)	183 (403)	295 (77,9)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS
1000 (39)	199 (438)	338 (89,3)	6	AF - AR - CS
				CR - CM
				CW - CS JANUS

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCR73 MACHINE WEIGHT 7,5 - 10,0 t (116535 - 22046 lb)

ADAPTERS

CS80



KG 44 (LB 97)

CS80 JANUS



KG 46 (LB 101)

CR70



KG 34 (LB 75)

M'LOCK100




KG 35 (LB 77)

CW10



KG 23 (LB 50)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	95 (210)	76 (20,1)	2	AF - CS
				CR - CM
				CW - CS JANUS
350 (14)	103 (228)	94 (24,8)	3	AF - CS
				CR - CM
				CW - CS JANUS
400 (16)	110 (243)	113 (29,9)	3	AF - CS
				CR - CM
				CW - CS JANUS
450 (18)	120 (265)	133 (35,1)	3	AF - CS
				CR - CM
				CW - CS JANUS
500 (20)	130 (286)	153 (40,4)	3	AF - CS
				CR - CM
				CW - CS JANUS
600 (24)	148 (326)	196 (51,8)	4	AF - CS
				CR - CM
				CW - CS JANUS
700 (28)	166 (366)	240 (63,4)	4	AF - CS
				CR - CM
				CW - CS JANUS
800 (31)	184 (406)	286 (75,6)	5	AF - CS
				CR - CM
				CW - CS JANUS
900 (35)	202 (446)	333 (88,0)	5	AF - CS
				CR - CM
				CW - CS JANUS
1000 (39)	220 (486)	379 (100,1)	5	AF - CS
				CR - CM
				CW - CS JANUS
1100 (43)	238 (525)	430 (113,6)	5	AF - CS
				CR - CM
				CW - CS JANUS

OPTIONAL

SUPPLEMENTARY BLADE	5
------------------------	---

SCR80 MACHINE WEIGHT 10,0 - 12,0 t (22046 - 26455 lb)

ADAPTERS

CS80



KG 44 (LB 97)

CS80 JANUS



KG 46 (LB 101)

CR70



KG 34 (LB 75)

M'LOCK100




KG 66 (LB 145)

CW20



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
300 (12)	119 (261)	86 (22,7)	2	AF - CS
				CR - CM - CS JANUS
				CW
350 (14)	128 (282)	107 (28,3)	3	AF - CS
				CR - CM - CS JANUS
				CW
400 (16)	141 (311)	129 (34,1)	3	AF - CS
				CR - CM - CS JANUS
				CW
450 (18)	151 (333)	151 (39,9)	3	AF - CS
				CR - CM - CS JANUS
				CW
500 (20)	162 (357)	174 (46,0)	3	AF - CS
				CR - CM - CS JANUS
				CW
600 (24)	182 (402)	222 (58,6)	4	AF - CS
				CR - CM - CS JANUS
				CW
700 (28)	203 (447)	273 (72,1)	4	AF - CS
				CR - CM - CS JANUS
				CW
800 (31)	222 (489)	325 (85,9)	5	AF - CS
				CR - CM - CS JANUS
				CW
900 (35)	242 (534)	379 (100,1)	5	AF - CS
				CR - CM - CS JANUS
				CW
1000 (39)	261 (576)	433 (114,4)	5	AF - CS
				CR - CM - CS JANUS
				CW
1100 (43)	282 (621)	486 (128,4)	5	AF - CS
				CR - CM - CS JANUS
				CW
1200 (47)	303 (667)	546 (144,2)	6	AF - CS
				CR - CM - CS JANUS
				CW
1300 (51)	323 (712)	602 (159,0)	6	AF - CS
				CR - CM - CS JANUS
				CW

OPTIONAL

SUPPLEMENTARY BLADE	5
------------------------	---

* weight of the tank excluding attachment


* weight of the tank excluding attachment

SCR85 MIDI

MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS



KG 93 (LB 205)

M'LOCK100




KG 66 (LB 145)

CW20



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
400 (16)	197 (435)	171 (45,2)	3	AF - CM
				CS - CW
				CS JANUS
500 (20)	220 (486)	235 (62,1)	3	AF - CM
				CS - CW
				CS JANUS
600 (24)	243 (536)	300 (79,3)	4	AF - CM
				CS - CW
				CS JANUS
700 (28)	266 (586)	368 (97,2)	4	AF - CM
				CS - CW
				CS JANUS
800 (31)	289 (638)	438 (115,7)	5	AF - CM
				CS - CW
				CS JANUS
900 (35)	312 (688)	510 (134,7)	5	AF - CM
				CS - CW
				CS JANUS
1000 (39)	336 (741)	584 (154,3)	5	AF - CM
				CS - CW
				CS JANUS
1100 (43)	360 (793)	657 (173,6)	5	AF - CM
				CS - CW
				CS JANUS
1200 (47)	384 (847)	730 (192,8)	6	AF - CM
				CS - CW
				CS JANUS
1300 (51)	408 (899)	810 (214,0)	6	AF - CM
				CS - CW
				CS JANUS

OPTIONAL


5				
SUPPLEMENTARY BLADE				

SCR92 HD EXCAVATOR

MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS



KG 93 (LB 205)

M'LOCK100




KG 66 (LB 145)

CW20



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	261 (575)	380 (100,4)	4	AF - CM
				CS - CW
				CS JANUS
700 (28)	287 (633)	450 (118,9)	4	AF - CM
				CS - CW
				CS JANUS
800 (31)	320 (705)	560 (147,9)	5	AF - CM
				CS - CW
				CS JANUS
900 (35)	352 (776)	620 (163,8)	5	AF - CM
				CS - CW
				CS JANUS
1000 (39)	395 (871)	700 (184,9)	5	AF - CM
				CS - CW
				CS JANUS
1200 (47)	454 (1001)	900 (237,7)	6	AF - CM
				CS - CW
				CS JANUS

OPTIONAL

5				
SUPPLEMENTARY BLADE				

* weight of the tank excluding attachment

* weight of the tank excluding attachment

SCR100 HD MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS



KG 93 (LB 205)

M'LOCK100




KG 66 (LB 145)

CW20



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	353 (778)	450 (118,9)	3	AF - CM
				CS - CW
				CS JANUS
700 (28)	397 (875)	535 (141,3)	4	AF - CM
				CS - CW
				CS JANUS
800 (31)	441 (972)	620 (163,7)	4	AF - CM
				CS - CW
				CS JANUS
900 (35)	485 (1069)	710 (187,5)	4	AF - CM
				CS - CW
				CS JANUS
1000 (39)	529 (1166)	800 (211,3)	5	AF - CM
				CS - CW
				CS JANUS
1200 (47)	617 (1360)	980 (258,8)	5	AF - CM
				CS - CW
				CS JANUS

OPTIONAL

SUPPLEMENTARY BLADE	5
------------------------	---

SCR110 HD MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS

CS100



KG 45 (LB 99)

CS100 JANUS



KG 93 (LB 205)

M'LOCK100




KG 66 (LB 145)

CW20



KG 57 (LB 126)



L MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N.	ADAPTERS
600 (24)	457 (1008)	480 (126,8)	3	AF - CM
				CS - CW
				CS JANUS
800 (31)	559 (1232)	690 (182,3)	4	AF - CM
				CS - CW
				CS JANUS
1000 (39)	671 (1479)	900 (237,7)	5	AF - CM
				CS - CW
				CS JANUS
1200 (47)	773 (1704)	1110 (293,2)	5	AF - CM
				CS - CW
				CS JANUS
1300 (52)	824 (1817)	1220 (322,2)	6	AF - CM
				CS - CW
				CS JANUS
1400 (55)	875 (1929)	1330 (351,3)	6	AF - CM
				CS - CW
				CS JANUS

OPTIONAL

SUPPLEMENTARY BLADE	5
------------------------	---

* weight of the tank excluding attachment

* weight of the tank excluding attachment