




AF



AR



CS



CR



CS JANUS



M'LOCK




CW

ADAPTERS



ITS TRAPEZOIDAL SHAPE AND SIDE TILTING ANGLES (52°-60°) ENABLE THE REALIZATION AND MAINTENANCE OF DITCHES AND DRAINS OF DIFFERENT SIZES AND ANGLES.



OPTIONAL

- 1
- DC TEETH
- DTE TEETH

MOD.								MIDI	EXCAVATOR		
	T38	T45	T53	T62	T67	T73	T80	T85 GD	T92 GD	T100 GD	T110 GD
TONS (LB)	0,6 - 1,8 (1323 - 3968)	1,8 - 2,5 (2646 - 5512)	2,5 - 4,0 (5512 - 8818)	4,0 - 5,0 (8818 - 11023)	5,0 - 7,5 (11023 - 16535)	7,5 - 10,0 (16535 - 22046)	10,0 - 12,0 (22046 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 18,0 (30865 - 39683)	18,0 - 22,0 (39683 - 48502)

T38 MACHINE WEIGHT 0,6 - 1,8 t (1323 - 3968 lb)

ADAPTERS

AR15
KG 7 (LB 15)

CS10
KG 10 (LB 22)


CS10 JANUS
KG 10 (LB 22)

CR15
KG 10 (LB 22)

M'LOCK30
KG 10 (LB 22)

CW00
KG 5 (LB 11)

CW05
KG 9 (LB 19)



L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
200 (8)	607 (23,9)	52°	27 (60)	47 (12,4)	AF - AR - CS
					CR - CM
					CW - CS JANUS
200 (8)	490 (19,3)	60°	24 (53)	37 (9,8)	AF - AR - CS
					CR - CM
					CW - CS JANUS

OPTIONAL

1 DC 1
KG 1,4

1 DTE 13
KG 1,7

T45 MACHINE WEIGHT 1,8 - 2,5 t (3968 - 5512 lb)

ADAPTERS

AR30
KG 10 (LB 22)

CS10
KG 10 (LB 22)

CS30
KG 18 (LB 39)


CS10 JANUS
KG 10 (LB 22)

CS30 JANUS PRO
KG 19 (LB 41)

CR30
KG 13 (LB 28)

M'LOCK30
KG 12 (LB 26)

CW05
KG 9 (LB 19)



L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
250 (10)	741 (29,2)	52°	45 (99)	77 (22,3)	AF - AR - CS
					CR - CM
					CW - CS JANUS
250 (10)	600 (23,6)	60°	40 (88)	63 (16,6)	AF - AR - CS
					CR - CM
					CW - CS JANUS

OPTIONAL

1 DC 1
KG 1,4

1 DTE 13
KG 1,7

T53 MACHINE WEIGHT 2,5 - 4,0 t (5512 - 8818 lb)

ADAPTERS

AR40
KG 11 (LB 24)


CS30
KG 18 (LB 39)

CS30 JANUS
KG 19 (LB 41)

CR40
KG 14 (LB 30)

M'LOCK30
KG 12 (LB 26)

CW05
KG 9 (LB 19)



L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
300 (12)	868 (34,2)	52°	69 (152)	140 (37,0)	AF - AR - CS
					CR - CM
					CW - CS JANUS
300 (12)	705 (27,8)	60°	61 (134)	114 (30,1)	AF - AR - CS
					CR - CM
					CW - CS JANUS

OPTIONAL

1 DC 3
KG 2,1

1 DTE 17
KG 3,0

T62 MACHINE WEIGHT 4,0 - 5,0 t (8818 - 11023 lb)

ADAPTERS

AR50
KG 17 (LB 37)


CS30
KG 18 (LB 39)

CS30 JANUS
KG 19 (LB 41)

CR50
KG 22 (LB 48)

M'LOCK100
KG 35 (LB 77)

CW10
KG 23 (LB 50)



L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
300 (12)	985 (38,8)	52°	101 (223)	190 (50,2)	AF - AR - CS
					CR - CM
					CW - CS JANUS
300 (12)	790 (31,1)	60°	88 (194)	153 (40,4)	AF - AR - CS
					CR - CM
					CW - CS JANUS

OPTIONAL

1 DC 6
KG 4,0

1 DTE 17
KG 3,0

* weight of the tank excluding attachment

* weight of the tank excluding attachment

T67 MACHINE WEIGHT 5,0 - 7,5 t (11023 - 16535 lb)

ADAPTERS

AR50

KG 17 (LB 37)

AR70

KG 24 (LB 52)

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR50

KG 22 (LB 48)

CR70

KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)

OPTIONAL

1 DC 8

KG 5,4

1 DTE 17

KG 3,0

L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
350 (14)	1087 (42,8)	52°	144 (317)	239 (63,1)	AF - AR - CS
					CR - CM
					CW - CS JANUS
350 (14)	876 (34,5)	60°	126 (278)	191 (50,5)	AF - AR - CS
					CR - CM
					CW - CS JANUS

T73 MACHINE WEIGHT 7,5 - 10,0 t (16535 - 22046 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)

OPTIONAL

1 DC 8

KG 5,4

1 DTE 19

KG 5,6

L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
350 (14)	1157 (45,6)	52°	166 (366)	318 (84,0)	AF - CS
					CR - CM
					CW - CS JANUS
350 (14)	928 (36,5)	60°	146 (322)	254 (67,1)	AF - CS
					CR - CM
					CW - CS JANUS

T80 MACHINE WEIGHT 10,0 - 12,0 t (22046 - 26455 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 66 (LB 145)

CW20

KG 57 (LB 126)

OPTIONAL

1 DC 11

KG 7,7

1 DTE 19

KG 5,6

L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
350 (14)	1236 (48,7)	52°	207 (456)	355 (93,8)	AF - CS
					CR - CM - CS JANUS
					CW
350 (14)	985 (38,8)	60°	184 (406)	281 (74,2)	AF - CS
					CR - CM - CS JANUS
					CW

T85 GD MIDI MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS

KG 93 (LB 205)

M'LOCK100

KG 66 (LB 145)

CW20

KG 57 (LB 126)

OPTIONAL

1 DC 11

KG 7,7

1 DTE 19

KG 5,6

L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
350 (14)	1420 (56)	52°	320 (705)	430 (113,6)	AF - CM
					CS - CW
					CS JANUS
350 (14)	1120 (44)	60°	275 (606)	370 (97,7)	AF - CM
					CS - CW
					CS JANUS

* weight of the tank excluding attachment

* weight of the tank excluding attachment

T92 GD EXCAVATOR

MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS


CS100
KG 45 (LB 99)

A

CS100 JANUS
KG 93 (LB 205)

M'LOCK100
KG 66 (LB 145)

CW20
KG 57 (LB 126)



L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
400 (16)	1550 (48)	52°	400 (882)	540 (142,7)	AF - CM
					CS - CW
					CS JANUS
400 (16)	1230 (48)	60°	340 (750)	470 (124,2)	AF - CM
					CS - CW
					CS JANUS

OPTIONAL

1 DC 13
KG 13

1 DTE 23
KG 8,8

T110 GD

MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS


CS100
KG 45 (LB 99)

A

CS100 JANUS
KG 93 (LB 205)

M'LOCK100
KG 66 (LB 145)

CW30
KG 66 (LB 145)



L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
400 (16)	1820 (72)	52°	660 (1455)	870 (229,8)	AF - CM
					CS - CW
					CS JANUS
400 (16)	1100 (43)	60°	565 (1246)	740 (195,5)	AF - CM
					CS - CW
					CS JANUS

OPTIONAL

1 DC 15
KG 16,1

1 DTE 33
KG 18,1

T100 GD

MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS


CS100
KG 45 (LB 99)

A

CS100 JANUS
KG 93 (LB 205)

M'LOCK100
KG 66 (LB 145)

CW30
KG 66 (LB 145)



L MM (IN)	A MM (IN)	B°	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	ADAPTERS
400 (16)	1680 (66)	52°	530 (1168)	680 (179,6)	AF - CM
					CS - CW
					CS JANUS
400 (16)	1320 (52)	60°	455 (1003)	585 (154,5)	AF - CM
					CS - CW
					CS JANUS

OPTIONAL

1 DC 15
KG 16,1

1 DTE 29
KG 12,5

* weight of the tank excluding attachment

* weight of the tank excluding attachment