


THE SKELETON BUCKET IS DESIGNED TO SORT STONES AND AGGREGATE MATERIALS. THE SIEVED MATERIAL'S SIZE DEPENDS ON THE DISTANCE AMONG THE GRIDS.



STANDARD TECHNICAL FEATURES

- 1
- DC TEETH DTE TEETH

OPTIONAL

- 2
- HB500 WELDED ADDITIONAL CUTTING EDGE (NO TEETH)**
RECOMMENDED TO WORK ON PARTICULARLY ABRASIVE SOILS.

MOD.								MIDI	EXCAVATOR		
	VE38	VE45	VE53	VE62	VE67	VE73	VE80	VE85	VE92 GD	VE100 GD	VE110 GD
TONS (LB)	0,6 - 1,8 (1323 - 3968)	1,8 - 2,5 (2646 - 5512)	2,5 - 4,0 (5512 - 8818)	4,0 - 5,0 (8818 - 11023)	5,0 - 7,5 (11023 - 16535)	7,5 - 10,0 (16535 - 22046)	10,0 - 12,0 (22046 - 26455)	12,0 - 14,0 (26455 - 30865)	12,0 - 14,0 (26455 - 30865)	14,0 - 16,0 (30865 - 35274)	16,0 - 19,0 (35274 - 41887)

VE38 MACHINE WEIGHT 0,6 - 1,8 t (1323 - 3968 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS

KG 10 (LB 22)

CR15

KG 10 (LB 22)

M'LOCK30

KG 10 (LB 22)

CW00

KG 5 (LB 11)

CW05

KG 9 (LB 19)

375 MM
(15 IN)

L

410 MM
(16 IN)

OPTIONAL

2

HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
500 (20)	54 (2,1)	31 (68)	49 (12,9)	4	AF - AR - CS
					CR - CM
					CW - CS JANUS
600 (24)	51 (2,0)	35 (77)	61 (16,1)	4	AF - AR - CS
					CR - CM
					CW - CS JANUS
700 (28)	55 (2,2)	42 (93)	74 (19,5)	5	AF - AR - CS
					CR - CM
					CW - CS JANUS

VE45 MACHINE WEIGHT 1,8 - 2,5 t (3968 - 5512 lb)

ADAPTERS

AR30

KG 10 (LB 22)

CS10

KG 10 (LB 22)

CS30

KG 18 (LB 39)

CS10 JANUS

KG 10 (LB 22)

CS30 JANUS

KG 19 (LB 41)

CR30

KG 13 (LB 28)

M'LOCK30

KG 12 (LB 26)

CW05

KG 9 (LB 19)

440 MM
(17 IN)

L

490 MM
(19 IN)

OPTIONAL

2

HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
600 (24)	55 (2,2)	51 (112)	79 (20,9)	4	AF - AR - CS
					CR - CM
					CW - CS JANUS
700 (28)	59 (2,3)	57 (126)	95 (25,1)	5	AF - AR - CS
					CR - CM
					CW - CS JANUS
800 (31)	55 (2,2)	64 (141)	111 (29,3)	5	AF - AR - CS
					CR - CM
					CW - CS JANUS

VE53 MACHINE WEIGHT 2,5 - 4,0 t (5512 - 8818 lb)

ADAPTERS

AR40

KG 11 (LB 24)

CS30

KG 18 (LB 39)

CS30 JANUS PRO

KG 19 (LB 41)

CR40

KG 14 (LB 30)

M'LOCK30

KG 12 (LB 26)

CW05

KG 9 (LB 19)

530 MM
(21 IN)

L

560 MM
(22 IN)

OPTIONAL

2

HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
700 (28)	59 (2,3)	80 (176)	142 (37,5)	5	AF - AR - CS
					CR - CM
					CW - CS JANUS
800 (31)	55 (2,2)	91 (201)	166 (43,9)	5	AF - AR - CS
					CR - CM
					CW - CS JANUS
900 (35)	58 (2,3)	100 (220)	190 (50,2)	5	AF - AR - CS
					CR - CM
					CW - CS JANUS

VE62 MACHINE WEIGHT 4,0 - 5,0 t (8818 - 11023 lb)

ADAPTERS

AR50

KG 17 (LB 37)

CS30

KG 18 (LB 39)

CS30 JANUS

KG 19 (LB 41)

CR50

KG 22 (LB 48)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)

610 MM
(24 IN)

L

685 MM
(27 IN)

OPTIONAL

2

HB500 WELDED ADDITIONAL CUTTING EDGE

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
800 (31)	66 (2,6)	126 (278)	226 (59,7)	5	AF - AR - CS
					CR - CM
					CW - CS JANUS
900 (35)	61 (2,4)	142 (313)	259 (68,4)	6	AF - AR - CS
					CR - CM
					CW - CS JANUS
1000 (39)	63 (2,5)	153 (337)	292 (77,1)	6	AF - AR - CS
					CR - CM
					CW - CS JANUS

* weight of the tank excluding attachment

* weight of the tank excluding attachment

VE67 MACHINE WEIGHT 5,0 - 7,5 t (11023 - 16535 lb)

ADAPTERS

AR50

KG 17 (LB 37)

AR70

KG 24 (LB 52)

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

S40-200

KG 15 (LB 33)

CW10

KG 23 (LB 50)

665 MM (26 IN)

765 MM (30 IN)

L

A

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
800 (31)	66 (2,6)	166 (366)	258 (68,2)	5	AF - AR - CS
					CR - CM
					CW - CS JANUS
900 (35)	61 (2,4)	187 (412)	296 (78,2)	6	AF - AR - CS
					CR - CM
					CW - CS JANUS
1000 (39)	63 (2,5)	202 (445)	335 (88,5)	6	AF - AR - CS
					CR - CM
					CW - CS JANUS

OPTIONAL

2
HB500 WELDED ADDITIONAL CUTTING EDGE

VE73 MACHINE WEIGHT 7,5 - 10,0 t (16535 - 22046 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)

725 MM (29 IN)

810 MM (32 IN)

L

A

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
800 (31)	74 (2,9)	192 (423)	296 (78,2)	5	AF - CS
					CR - CM
					CW - CS JANUS
900 (35)	67 (2,6)	216 (476)	340 (89,8)	5	AF - CS
					CR - CM
					CW - CS JANUS
1000 (39)	69 (2,7)	234 (516)	384 (101,4)	5	AF - CS
					CR - CM
					CW - CS JANUS

OPTIONAL

2
HB500 WELDED ADDITIONAL CUTTING EDGE

VE80 MACHINE WEIGHT 10,0 - 12,0 t (22046 - 26455 lb)

ADAPTERS

CS80

KG 44 (LB 97)

CS80 JANUS

KG 46 (LB 101)

CR70

KG 34 (LB 75)

M'LOCK100

KG 66 (LB 145)

CW20

KG 57 (LB 126)

800 MM (31 IN)

870 MM (34 IN)

L

A

HB400 CUTTING EDGE

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
900 (35)	74 (2,9)	252 (556)	410 (108,3)	5	AF - CS
					CR - CM - CS JANUS
					CW
1000 (39)	67 (2,6)	273 (602)	479 (126,5)	5	AF - CS
					CR - CM - CS JANUS
					CW
1100 (43)	69 (2,7)	302 (666)	555 (146,6)	5	AF - CS
					CR - CM - CS JANUS
					CW

OPTIONAL

2
HB500 WELDED ADDITIONAL CUTTING EDGE

VE85 **MIDI** MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS

KG 93 (LB 205)

M'LOCK100

KG 66 (LB 145)

CW20

KG 57 (LB 126)

850 MM (34 IN)

980 MM (39 IN)

L

A

HB400 CUTTING EDGE

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
900 (35)	80 (3,1)	335 (736)	510 (134,7)	5	AF - CM
					CS - CW
					CS JANUS
1000 (39)	80 (3,1)	363 (800)	584 (154,3)	5	AF - CM
					CS - CW
					CS JANUS
1100 (43)	80 (3,1)	390 (860)	657 (173,6)	5	AF - CM
					CS - CW
					CS JANUS
1200 (47)	80 (3,1)	418 (922)	730 (192,8)	6	AF - CM
					CS - CW
					CS JANUS

OPTIONAL

2
HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment

VE92 GD EXCAVATOR MACHINE WEIGHT 12,0 - 14,0 t (26455 - 30865 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS

KG 93 (LB 205)

M'LOCK100

KG 66 (LB 145)

CW20

KG 57 (LB 126)

920 MM
36 (IN)

A

HB400 CUTTING EDGE

1100 MM
43 (IN)

L

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
1200 (47)	80 (3,1)	431 (950)	783 (206,8)	5	AF - CM
					CS - CW
					CS JANUS
1300 (51)	80 (3,1)	453 (998)	878 (231,9)	6	AF - CM
					CS - CW
					CS JANUS
1400 (55)	80 (3,1)	475 (1047)	973 (257,0)	6	AF - CM
					CS - CW
					CS JANUS

OPTIONAL

2
HB500 WELDED ADDITIONAL CUTTING EDGE

VE100 GD MACHINE WEIGHT 14,0 - 18,0 t (30865 - 39683 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS

KG 93 (LB 205)

M'LOCK100

KG 66 (LB 145)

CW30

KG 66 (LB 145)

1000 MM
39 (IN)

A

HB400 CUTTING EDGE

1250 MM
49 (IN)

L

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
1200 (47)	100 (3,9)	587 (1294)	909 (240,1)	5	AF - CM
					CS - CW
					CS JANUS
1300 (51)	100 (3,9)	632 (1393)	1004 (265,2)	6	AF - CM
					CS - CW
					CS JANUS
1400 (55)	100 (3,9)	677 (1493)	1108 (292,7)	6	AF - CM
					CS - CW
					CS JANUS

OPTIONAL

2
HB500 WELDED ADDITIONAL CUTTING EDGE

VE110 GD MACHINE WEIGHT 18,0 - 22,0 t (39683 - 48502 lb)

ADAPTERS

CS100

KG 45 (LB 99)

CS100 JANUS

KG 93 (LB 205)

M'LOCK100

KG 66 (LB 145)

CW30

KG 66 (LB 145)

1100 MM
(43 IN)

A

HB400 CUTTING EDGE

1370 MM
(54 IN)

L

L MM (IN)	A MM (IN)	WEIGHT KG* (LB*)	CAP. SAE L (GAL)	TEETH N°	ADAPTERS
1200 (47)	100 (3,9)	691 (1523)	1064 (281,1)	5	AF - CM
					CS - CW
					CS JANUS
1300 (51)	100 (3,9)	741 (1634)	1173 (309,9)	6	AF - CM
					CS - CW
					CS JANUS
1400 (55)	100 (3,9)	791 (1744)	1288 (340,3)	6	AF - CM
					CS - CW
					CS JANUS

OPTIONAL

2
HB500 WELDED ADDITIONAL CUTTING EDGE

* weight of the tank excluding attachment

* weight of the tank excluding attachment