




AF



AR



CS



CR



CS JANUS



M'LOCK




CW

ADAPTERS



THE SPG RAKE BUCKET IS IDEAL FOR CLEANING, LEVELLING AND SORTING MATERIAL. IT ALLOWS COARSE MATERIAL TO BE EASILY SEPARATED FROM FINE MATERIAL, MAKING IT PARTICULARLY SUITABLE FOR MAINTAINING DITCHES, CANALS, EMBANKMENTS AND GREEN AREAS, AS WELL AS FOR RECLAMATION AND ENVIRONMENTAL RESTORATION WORK.



MOD.	SPG35	SPG35	SPG40	SPG45	SPG50	SPG50	SPG55
TONS (LB)	1,2 - 1,8 (2645 - 3968)	1,8 - 2,5 (39680 - 5512)	2,5 - 4,0 (5512 - 8818)	4,0 - 5,0 (8818 - 11023)	5,0 - 7,5 (11023 - 16535)	7,5 - 10,0 (16535 - 22046)	10,0 - 12,0 (22046 - 26455)

SPG35 MACHINE WEIGHT 1,2 - 1,8 t (2645 - 3968 lb)

ADAPTERS

AR15

KG 7 (LB 15)

CS10

KG 10 (LB 22)

CS10 JANUS

KG 10 (LB 22)

CR15

KG 10 (LB 22)

M'LOCK30


KG 10 (LB 22)

CW00

KG 5 (LB 11)

CW05

KG 9 (LB 19)



L MM (IN)	A MM (IN)	PESO KG (LB) (EXCL. ATTACHMENT)	CAP. SAE (L) (GAL)	ADAPTERS
1000 (39)	46 (1,8)	53 (117)	77 (17)	AF - AR - CS CR - CM CW - CS JANUS

SPG35 MACHINE WEIGHT 1,8 - 2,5 t (3968 - 5512 lb)

ADAPTERS

AR30

KG 10 (LB 22)

CS10

KG 10 (LB 22)

CS30

KG 18 (LB 39)

CS10 JANUS

KG 10 (LB 22)

CS30 JANUS

KG 19 (LB 41)

CR30


KG 13 (LB 28)

M'LOCK30

KG 12 (LB 26)

CW05

KG 9 (LB 19)



L MM (IN)	A MM (IN)	PESO KG (LB) (EXCL. ATTACHMENT)	CAP. SAE (L) (GAL)	ADAPTERS
1000 (39)	46 (1,8)	53 (117)	77 (17)	AF - AR - CS CR - CM CW - CS JANUS

SPG40 MACHINE WEIGHT 2,5 - 4,0 t (5512 - 8818 lb)

ADAPTERS

AR40

KG 11 (LB 24)

CS30

KG 18 (LB 39)

CS30 JANUS

KG 19 (LB 41)

CR40


KG 14 (LB 30)

M'LOCK30

KG 12 (LB 26)

CW05

KG 9 (LB 19)



L MM (IN)	A MM (IN)	PESO KG (LB) (EXCL. ATTACHMENT)	CAP. SAE (L) (GAL)	ADAPTERS
1200 (47)	49 (1,9)	99 (218)	130 (28,6)	AF - AR - CS CR - CM CW - CS JANUS

SPG45 MACHINE WEIGHT 4,0 - 5,0 t (8818 - 11023 lb)

ADAPTERS

AR50

KG 17 (LB 37)

CS30

KG 18 (LB 39)

CS30 JANUS

KG 19 (LB 41)

CR50


KG 22 (LB 48)

M'LOCK100

KG 35 (LB 77)

CW10

KG 23 (LB 50)



L MM (IN)	A MM (IN)	PESO KG (LB) (EXCL. ATTACHMENT)	CAP. SAE (L) (GAL)	ADAPTERS
1400 (55)	53 (2)	148 (326)	193 (42,5)	AF - AR - CS CR - CM CW - CS JANUS

SPG50 MACHINE WEIGHT 5,0 - 7,5 t (11023 - 16535 lb)

ADAPTERS

AR50
KG 17 (LB 37)

AR70
KG 24 (LB 53)

CS80
KG 44 (LB 97)


CS80 JANUS
KG 46 (LB 101)

CR70
KG 34 (LB 75)

M'LOCK100
KG 35 (LB 77)

S40-200
KG 15 (LB 33)

CW10
KG 23 (LB 51)



L MM (IN)	A MM (IN)	PESO KG (LB) (EXCL. ATTACHMENT)	CAP. SAE (L) (GAL)	ADAPTERS
1400 (55)	53 (2)	210 (463)	230 (50,6)	AF - AR - CS
				CR - CM
				CW - CS JANUS

SPG50 MACHINE WEIGHT 7,5 - 10,0 t (16535 - 22046)

ADAPTERS


CS80
KG 44 (LB 97)

CS80 JANUS
KG 46 (LB 101)

CR70
KG 34 (LB 75)

M'LOCK100
KG 35 (LB 77)

CW10
KG 23 (LB 51)



L MM (IN)	A MM (IN)	PESO KG (LB) (EXCL. ATTACHMENT)	CAP. SAE (L) (GAL)	ADAPTERS
1400 (55)	53 (2)	210 (463)	230 (50,6)	AF - CS
				CR - CM
				CW - CS JANUS

SPG55 MACHINE WEIGHT 10,0 - 12,0 t (22046 - 26455 lb)

ADAPTERS


CS80
KG 44 (LB 97)

CS80 JANUS
KG 46 (LB 101)

CR70
KG 34 (LB 75)

M'LOCK100
KG 66 (LB 145)

CW20
KG 57 (LB 126)



L MM (IN)	A MM (IN)	PESO KG (LB) (EXCL. ATTACHMENT)	CAP. SAE (L) (GAL)	ADAPTERS
1600 (637)	56 (2,20)	270 (595)	329 (72)	AF - CS
				CR - CM - CS JANUS
				CW

